

Standard Bidding Document

Procurement of Furniture & Fixtures for PAAA Islamabad
(Goods)

National

Single Stage-Two Envelope



September 16, 2026

*Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer
Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.
Phone: +92-321-466-9875, Email: nasirashfaq@gmail.com*

Table of Contents

REQUEST FOR BIDS	1
Instructions to Bidders	3
Bid Data Sheet	23
Bids Data Sheet (BDS)	24
Eligibility Criteria	28
Evaluation Criteria	30
Items/Lots	36
Related Services of Goods:	37
Items/Lot Specification	38
Price Schedule	105
General Conditions of Contract	107
Special Conditions of Contract	117
Bid Securing Declaration	122
Contract Form	124
Integrity Pact	127
Performance Guarantee Form	129
Annexure	132
List of items with specifications	133
Sample Requirement	133
Procurement Forms	134
Past Experience and Completed Contracts	1

Historical Contract Non-Performance, and Pending Litigation and Litigation History	1
Financial Capacity and Net Worth Evaluation Form	1
Average Annual Turnover	1
Additional Forms and Documents	137

REQUEST FOR BIDS


PROCUREMENT OF GOODS

1. The **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan)** has reserved Funds for the procurement planned for FY **2026-27**. The **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan)** intends to apply part of the proceeds of this Fund to cover eligible payments under the contract for the "**Procurement of Furniture & Fixtures for PAAA Islamabad**" with the reference of "**P118837**"
2. The **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan)** invites sealed Bids from eligible Bidders for procurement of goods described in the bidding documents on **EPADS v2.0**.
3. **Single Stage-Two Envelope** will be used by adopting **Quality and Cost Based Selection (QCBS)** Technique for the subject procurement, in line with the Public Procurement Rules, 2004 and any Regulations, Regulatory Guides, Procurement Guidelines or Instructions issued by the Authority from time to time.
4. All Bids must be accompanied by a Bid Security amounting described in Bid Security Section in Bidding Document in the form of **Pay Order, Bank Guarantee** or all bids must be accompanied by bid securing declaration in the format specified in the Bidding documents
5. E-Bidding documents, containing detailed terms & conditions, specifications and requirements etc. are available on **e-Pak Acquisition and Disposal System (EPADS)** at **<https://epads.gov.pk/opportunities/federal/procurements/118837>** for all the interested bidders registered on **EPADS v2.0**. Bidders are required to get themselves registered on **EPADS v2.0** to participate in Bidding process.
6. The e-bids, prepared in accordance with the instructions in the e-Bidding Documents, must be submitted through **EPADS v2.0** on or before **Thursday, October 1, 2026 11:00 AM**. E-bids will be opened using **EPADS v2.0** on the

same day at **Thursday, October 1, 2026 11:30 AM**. Manual submission of Bids shall not be entertained. Those vendors who have not yet registered on the new version of **EPADS v2.0**, may register themselves on <https://vendors.epads.gov.pk/>. A tutorial to explain the registration process is available at <https://www.youtube.com/watch?v=MNW6T38v7tc>

In terms of Rule 48 of Public Procurement Rules, 2004 Grievance Redressal Committee (GRC) is notified for the subject procurement and notification copy is available on the procuring agency's website and on Authority's website at (www.ppra.org.pk).

Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer
Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road
Gulberg-III, Lahore, Punjab.
+92-321-466-9875
nasirashfaq@gmail.com





Instructions to Bidders

A. Introduction

1.Scope of Bids

1.1 The Procuring Agency (PA), as indicated in the **Bids Data Sheet (BDS)** invites Bids **through EPADS v2.0** for the provision of Goods for as specified in the BDS and **in Section V - Evaluation Criteria, Specifications & Schedule of Requirements**. The name, identification, and number of items/deliverables are provided in the **BDS**. The successful Bidders will be expected to provide the goods within the specified period and timeline(s) as stated in the **BDS**.

2. Source of Funds

2.1 Source of funds is referred in Clause-1 of Invitation for Bids.

3. Eligible Bidders

3.1 A Bidder may be natural person, company or firm or public or semi-public agency of Pakistan or any foreign country, or any combination of them with a formal existing agreement (on Judicial Papers) in the form of a joint venture, consortium, or association. In the case of a joint venture, consortium, or association, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The joint venture, consortium, or association shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture, consortium, or association during the Bidding process, and in case of award of contract, during the execution of the contract.

3.2 Verifiable copy of the agreement that forms a joint venture, consortium or association shall be required to be submitted as part of the Bid.

3.3 The appointment of Lead Member in the joint venture, consortium, or association shall be confirmed by submission of a valid Power of Attorney to the Procuring Agency.

3.4 Any bid submitted by the joint venture, consortium or association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated (or post qualified if required) with respect to its contribution only, and the responsibilities of each party shall not be substantially altered without prior written approval of the Procuring Agency and in line with

any instructions issued by the Authority.

(The limit on the number of members of JV or Consortium or Association may be prescribed in BDS, in accordance with the guidelines issued by the PPRA).

3.5 The invitation for Bids is open to all prospective suppliers, manufacturers, or authorized agents / dealers subject to any provisions of incorporation or licensing by the respective national incorporating agency or statutory body established for that particular trade or business. Procuring agencies shall specify the registration/licensing requirements for the foreign bidders keeping in view the requirement of that business.

3.6 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest with one or more parties in this Bidding process, if they:

1. are associated or have been associated in the past, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the design, specifications and other documents to be used for the procurement of the Goods to be purchased under this Invitation for Bids.
2. have controlling shareholders in common; or
3. receive or have received any direct or indirect subsidy from any of them; or
4. have the same legal representative for purposes of this Bid; or
5. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bids of another Bidder, or influence the decisions of the Procuring Agency regarding this Bidding process; or
6. Submit more than one Bid in this Bidding process.

3.7 A Bidder may be ineligible if –

1. he is declared bankrupt or, in the case of company or firm, insolvent;
2. payments in favor of the Bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting (in accordance with the national laws) in the total or partial loss of the right to administer and dispose of its property;

3. the Bidder is convicted, by a final judgment, of any offence involving professional conduct;

4. the Bidder is blacklisted locally or by international organizations and hence debarred due to involvement in corrupt and fraudulent practices, or performance failure or due to breach of Bid securing declaration.

3.8 As and when required, bidders shall provide to the Procuring Agency evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.

3.9 Bidders shall submit Bids relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract amounting to more than ten (10) percent of the Bid price is envisaged.

4. Eligible Goods and Related Services

4.1 All goods and related services to be supplied under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such goods and services. For purpose of this Bid, ineligible countries are the countries declared ineligible by the Federal Government.

5. One Bid per Bidder

5.1 A bidder shall submit only one Bid, in the same bidding process, either individually as a Bidder or as a member in a joint venture or any similar arrangement.

5.2 The Bidder shall not engage a subcontractor for any portion of the contract if the value of such subcontracting exceeds thirty percent (30%) of the total contract amount.

6. Cost of Bidding

6.1 Any cost incurred by the bidder relating to the preparation and submission of its Bid shall be borne by the bidder, and the Procuring Agency shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

B. Bidding Documents

7. Contents of Bidding Document

7.1 The Goods required, Bidding procedures, and terms and conditions of the contract are prescribed in the Bidding Documents. In addition to the Invitation for Bids, the Bidding documents which should be read in conjunction with any addenda issued in accordance with **ITB 9.1** include:

Section I -Invitation to Bids

Section II Instructions to Bidders (ITB)

Section III Bid Data Sheet (BDS)

Section IV Evaluation Criteria, Specifications, Schedule of Requirements

Section V Bid Forms

Section VI General Conditions of Contract (GCC)

Section VII Special Conditions of Contract (SCC)

Section VIII Contract Forms

7.2 The Bidder is expected to examine all instructions, forms, terms and specifications in the Bidding documents. Failure to furnish all the information required in the Bidding documents through **EPADS v2.0** will be at the Bidder's risk and may result in the rejection of his Bids.

8. Clarification of Bidding documents

8.1 A prospective Bidder requiring any clarification of the Bidding documents may notify the Procuring Agency through **EPADS v2.0**.

8.2 The Procuring Agency will within three (3) working days after receiving the request for clarification, respond to any request for clarification through **EPADS v2.0** provided that such request is received not later than three (03) days prior to the deadline for the submission of Bids as prescribed in **ITB 22**

8.3 Copies of the Procuring Agency's response will be forwarded to all identified Prospective Bidders through **EPADS v2.0**, including a description of the inquiry, but without identifying its source.

8.4 Should the Procuring Agency deem it necessary to amend the Bidding document as a result of a clarification, it shall do so following the procedure under **ITB 9**.

8.5 If indicated **in the BDS**, the Bidder's designated representative is invited at the Bidder's cost to attend a pre-Bid meeting at the place, date and time mentioned **in the BDS**. During this pre-Bid meeting, prospective Bidders may request clarification of the schedule of requirement, the Evaluation Criteria or any other aspects of the Bidding document.

8.6 Minutes of the pre-Bid meeting, if applicable, including the text of the questions asked by Bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be uploaded on **EPADS v2.0**. Any modification to the Bidding documents that may become necessary as a result of the pre-Bid meeting shall be made by the Procuring Agency exclusively through the use of an Addendum pursuant to **ITB 9**. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a Bidder.

9. Amendment of Bidding documents

9.1 Before the deadline for submission of Bids, the Procuring Agency for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder or Pre-Bid meeting may modify the Bidding documents by issuing addenda through **EPADS v2.0**.

9.2 The Procuring Agency shall promptly publish the addendum through **EPADS v2.0**.

9.3 Any addendum issued including the notice of any extension of the deadline shall also be communicated through EPADS v2.0 to all the bidders who have already submitted their bids. Such bidders shall have the right to withdraw their already submitted bid and re-submit the revised bid prior to the original or extended bid submission deadline.

9.4 To give prospective Bidders reasonable time in which to take an addendum/corrigendum into account in preparing their Bids, the Procuring Agency may, at its discretion, extend the deadline for the submission of Bids through **EPADS v2.0**:

Provided that the Procuring Agency shall extend the deadline for submission of Bids, if such an addendum is issued within last three (03) days of the Bids submission deadline.

C. Preparation of Bids

10. Language of Bid

10.1 The Bid prepared by the bidder, as well as all correspondence and documents relating to the Bids exchanged by the Bidder and the Procuring Agency shall be written in the English language unless otherwise specified in the BDS. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant pages in the English language unless otherwise specified in the **BDS**, in which case, for purposes of interpretation of the Bidder, the translation shall govern.

11. Documents and samples Constituting the Bid

11.1 The Bid prepared by the Bidder shall constitute the documents required in the **BDS**.

Details of sample(s) where applicable and requested in the BDS.

1. Documentary evidence established in accordance with ITB that the Bidder is eligible and/or qualified for the subject bidding process;
2. Documentary evidence establish that the Bidder has been authorized by the manufacturer to deliver the goods into Pakistan, where required and where the supplier is not the manufacturer of those goods;
3. Documentary evidence establish that the goods and related services to be supplied by the Bidder are eligible goods and services, and conform to the Bidding Documents;
4. Bid security or Bid Securing Declaration furnished in accordance with **ITB 18**.

12. Documents Establishing Eligibility of the Goods and Conformity to Bidding documents

12.1 To establish the conformity of the bidder to the Bidding document, the Bidder shall furnish as part of its Bids the documentary evidence that Goods provided conform to the technical specifications and standards.

13. Documents Establishing Eligibility and Qualification of the Bidder

13.1 The Bidder shall furnish, as part of its Bid, all those documents establishing the Bidder's eligibility to participate in the Bidding process and/or its qualification to perform the contract if its Bid is accepted.

14. Form of Bids

14.1 The Bidder shall fill the Form of Bid furnished in the Bidding documents. The Bids Form must be completed without any alterations to its format and no substitute shall be accepted.

15. Bids Prices

15.1 The Bids Prices quoted by the Bidder in the Form of Bid and in the Price Schedules shall conform to the requirements specified below or exclusively mentioned hereafter in the Bidding documents.

15.2 All items in the Schedule of Requirement must be listed and priced separately in the Price Schedule(s). If a Price Schedule shows items listed but not priced and neither explicitly denied, their prices shall be construed to be included in the prices of other items.

15.3 Items not listed in the Price Schedule shall be assumed not to be included in the Bid, and provided that the Bid is still substantially responsive in their absence or due to their nominal nature, the corresponding average price of the respective item(s) of the remaining substantially responsive Bidder(s) shall be construed to be the price of those missing item(s).

15.4 The Bid price to be quoted in the Form of Bid in accordance with **ITB 14.1** shall be the total price of the Bid.

15.5 The Bidder shall indicate on the appropriate Price Schedule, the unit prices (where applicable) and total Bid price of the Goods it proposes to provide under the contract.

15.6 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account. A Bid submitted with an adjustable price will be treated as non-responsive and shall be rejected.

16. Bids Currencies

16.1 Prices shall be quoted in Pakistani Rupees unless otherwise specified in the BDS in accordance with Rule 30 (2) of the Public Procurement Rules, 2004.

17. Bids Validity Period

17.1 Bids shall remain valid for the period specified in the **BDS** after the Bid submission deadline prescribed by the Procuring Agency. A Bid valid for a shorter period shall be rejected by the Procuring Agency as non-responsive. The period of Bid validity will be determined from the complementary Bid securing instrument, i.e. the expiry period of Bid Security or Bids Securing Declaration as the case may be.

17.2 The procuring agency shall ordinarily be under an obligation to process and evaluate the bid and to issue letter of award within the stipulated bid validity period.

17.3 Under exceptional circumstances, prior to the expiration of the initial Bid validity period, the Procuring Agency may request the Bidders' consent to an extension of the period of validity of their Bids only once through **EPADS v2.0**, for the period not more than the period of initial bid validity. The Bid Security provided under **ITB 18** shall also be suitably extended. A Bidder may refuse the request without forfeiting its Bid security or causing to be executed its Bid Securing Declaration. A Bidder agreeing to the request will not be required nor permitted to modify its Bid, but will be required to extend the validity of its Bid Security or Bid Securing Declaration for the period of the extension.

18. Bid Security or Bid Securing Declaration

18.1 The Bidder shall furnish as part of its Bid, a Bid Security in accordance with Rule 25 of the Public Procurement Rules, 2004.

18.2 The original Bid Security shall be enclosed within the sealed envelope and to be submitted physically before closing time for submission of bids. Whereas, scanned copy of bid security shall be uploaded electronically through EPADS v2.0 before closing hours for submission of bids.

18.3 The Bidder who failed to submit the original Bids security before the submission deadline shall be disqualified straightaway.

18.4 The Bid Security or Bid Securing Declaration is required to protect the Procuring Agency against the risk of Bidder's conduct which would warrant the security's forfeiture, pursuant to **ITB 18.7**.

18.5 The Bid Security shall be denominated in the local currency, and it shall be a Bank Draft in the name of the Procuring Agency and valid for twenty-eight (28) days beyond the end of the validity of the Bid. This shall also apply if the period

for Bids/Bid Validity is extended. In either case, the form must include the complete name of the Bidder.

18.6 The Bid Security shall be payable promptly upon written demand by the Procuring Agency in case any of the conditions listed in **ITB 18** are invoked.

18.7 Unsuccessful Bidders' Bid Security will be discharged or returned as promptly as possible, however in no case later than thirty (30) days after the expiration of the period of Bids Validity prescribed by the Procuring Agency pursuant to **ITB 17**. The Procuring Agency shall make no claim to the amount of the Bid Security, and shall promptly return the Bid Security document, after whichever of the following that occurs earliest:

- a. the expiry of the Bid Security;
- b. the entry into force of a procurement contract and the provision of a Performance Guarantee, for the performance of the contract if such a guarantee, is required by the Bid documents;
- c. the rejection by the Procuring Agency of all Bids;
- d. the withdrawal of the Bids prior to the deadline for the submission of Bids, unless the Bids documents stipulate that no such withdrawal is permitted.

18.8 The successful Bidder's Bids Security will be discharged upon the Bidder signing the contract, or furnishing the Performance Guarantee.

18.9 The Bid Security may be forfeited or the Bid Securing Declaration executed:

- a. if a Bidder:
- b. withdraws its Bid during the period of Bid Validity as specified by the Procuring Agency, and referred by the Bidder on the Form of Bids except as provided for in **ITB 17.2**; or
- c. does not accept the correction of errors; or
- d. in the case of a successful Bidder, if the Bidder fails:
- e. to sign the contract; or
- f. to furnish Performance Guarantee.

19. Withdrawal, Substitution, and Modification of Bid

19.1 Before Bid submission deadline, any Bidder may withdraw, substitute, or modify its Bid after it has been submitted through EPADS v2.0. Bids requested to be withdrawn, shall be returned unopened to the Bidders through **EPADS v2.0**.

20. Format and Signing of Bid

20.1 The Bidder shall prepare and submit Bids with due diligence after carefully reading all the terms and condition **before bid submission deadline** through EPADS v2.0.

D. Submission of Bids

21. Submission of Bids through EPADS v2.0

21.1 The Technical and Financial Bids if required to submitted, shall be submitted on **EPADS v2.0**.

22. Deadline for Submission of Bids

22.1 Bids shall be received by the Procuring Agency through **EPADS v2.0** before bid submission deadline.

22.2 The Procuring Agency may, under exceptional circumstances, extend the deadline for the submission of Bids, after recording reasons in writing and in an equal opportunity manner.

In such case, all rights and obligations of the Procuring Agency and the Bidders that were previously governed by the original deadline shall thereafter be subject to the revised deadline.

E. Opening and Evaluation of Bids

23. Opening of Bids

23.1 The Bid Evaluation Committee of the Procuring Agency shall open all Bids through the EPADS v2.0, on the date and time specified in the Bid Data Sheet (BDS).

23.2 The Bid Evaluation Committee **shall generate minutes through EPADS v2.0 containing brief details of bid opening process.** The record of the Bid opening shall include, as a minimum: the name of the Bidder, the Bid price if applicable, and the presence or absence of a Bid Security or Bid Securing Declaration.

23.3 The procuring agency shall live broadcast the opening of bids on national media or on their website or digital channels, if the volume of procurement exceeds five hundred million rupees in case of goods and services and one thousand million rupees in case of works.

23.4 In case the date of opening of bid has been declared as public holiday or the procuring agency fail to open bid due to any EPADS v2.0 related issues, the submission and opening of bids shall be shifted to the next working day on the same time.

23.5 In case of Single Stage One Envelope Procedure, the Bidders names, the Bid prices, the total amount of each Bid and, the presence or absence of Bid Security, Bid Securing Declaration and such other details as the Procuring Agency may consider appropriate, will be announced by the Bid Evaluation Committee.

24. Clarification of Bids

24.1 To assist in the examination, evaluation and comparison of Bids of the Bidders, the Procuring Agency may, ask any Bidder for a clarification of its Bid including breakdown of prices.

24.2 The request for clarification and the response shall be sought through EPADS v2.0 **before three days prior to the deadline for submission of bids.** No change in the prices or substance of the Bids shall be sought, offered, or permitted.

24.3 The alteration or modification in the BIDS which in any way affect the following parameters will be considered as a change in the substance of a Bids:

1. evaluation & qualification criteria;
2. required scope of work or specifications;
3. all securities requirements;
4. tax requirements;

5. terms and conditions of Bidding documents.

6. change in the ranking of the Bidder

24.4 From the time of Bids opening to the time of Contract award if any Bidder wishes to contact the Procuring Agency on any matter related to the Bids it should do so through **EPADS v2.0**.

25. Preliminary Examination of Bids

25.1 Prior to the detailed evaluation of Bids, the Procuring Agency will determine whether each Bid:

1. meets the eligibility criteria defined in **ITB 3**;
2. has been prepared as per the format and contents defined by the Procuring Agency in the Bidding documents;
3. is accompanied by the required securities; and
4. is substantially responsive to the requirements of the Bidding documents.

25.2 The Procuring Agency's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

25.3 A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bidding documents, without material deviation or reservation. A material deviation or reservation is one that: -

1. affects in any substantial way the scope, quality, or performance of the Goods;
2. limits in any substantial way, inconsistent with the Bidding documents, the Procuring Agency's rights or the Bidders obligations under the Contract; or
3. if rectified, would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.

25.3 If a Bids is not substantially responsive, it will be rejected by the Procuring Agency and may not subsequently be evaluated for complete technical responsiveness.

26. Examination of Terms and Conditions; Technical Evaluation

26.1 The Procuring Agency shall examine the Bids to confirm that all terms and conditions specified in the **GCC** and the **SCC** have been accepted by the Bidder without any material deviation or reservation.

26.2 The Procuring Agency shall evaluate the technical aspects of the Bids submitted, to confirm that all requirements specified in Schedule of Requirements and Technical Specifications of the Bidding documents have been met without material deviation or reservation.

26.3 If after the examination of the terms and conditions and the technical evaluation, the Procuring Agency determines that the Bid is not substantially responsive in accordance with **ITB 25.2**, it shall reject the Bid.

27. Correction of Errors

27.1 Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -

1. if there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the Procuring Agency there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;
2. if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
3. where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.
4. Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bids, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.

27.2 The amount stated in the Bid will, be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors and, with the concurrence of the Bidder, shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited or the Bids Securing Declaration may be executed.

28. Conversion to Single Currency

28.1 To facilitate evaluation and comparison, the Procuring Agency will convert all Bids prices expressed in the amounts in various currencies in which the Bids prices are payable. For the purposes of comparison of bids quoted in different currencies, the price shall be converted into a single currency specified in the bidding documents. The rate of exchange shall be the selling rate prevailing on the date of opening of financial bids specified in the bidding documents, in accordance with weighted average customer exchange rates list issued by the State Bank of Pakistan on that day.

29. Evaluation of Bids

29.1 The Bids, quotations, or proposals shall be evaluated by the respective evaluation committees as per evaluation criteria described in the Bidding Documents in accordance with Rule 29 and 30 of the Public Procurement Rules, 2004.

1. Least Cost Based Selection (LCBS)

After meeting the requirements of eligibility, qualification and substantial responsiveness, the bid in compliance with all the mandatory (technical) specifications/requirements and/or requisite quality threshold (if any), and having lowest evaluated cost (or financial proposal) shall be considered Successful Bid.

2. Quality and Cost Based Selection (QCBS)

In such combination, there shall be some specific weightage of both the technical features and financial aspects of the proposal. The financial marks shall be awarded on the basis of inverse proportion calculations. The successful bid shall be declared, on the basis of combined evaluation.

3. Quality Based Selection (QBS)

After meeting the requirements of eligibility, qualification and substantial responsiveness the bid in compliance with all the mandatory (technical) specifications/requirements and attaining highest marks in the Technical Evaluation considering all other qualitative and/or quantitative parameters (or point rated criteria) for technical proposal(s) such as working methodology, implementation plan, resource allocation, additional functionalities, risk management approach, knowledge transfer techniques, post implementation methodology etc. shall be treated as highest ranked bid. Later on, the financial proposal of highest ranked bidder shall be opened, however, in case of failure to proceed further with such a bidder, the procuring agency may resort to second

highest bidder and so on.

29.2 In case of tie of bids, the bidders shall be provided an opportunity to offer their best and final monetary offer through EPADS v2.0. However, in no case the rates shall be higher than the original financial bids.

30. Domestic Preference

30.1 The procuring agency shall evaluate and compare bids, allow for preference to domestic bidders, while competing with the international bidders in accordance with the policies of Federal Government.

The percentage of preference, to be accorded shall be clearly mentioned in the bidding documents under the bid evaluation criteria.

31. Determination of Successful Bid

31.1 Selection technique will be adopted for determining the Successful Bid in accordance with the criteria referred in the BDS or prescribed in the separate section titled as Evaluation Criteria.

31.2 In case where the Procuring Agency adopts the Cost Based Evaluation Technique and, the Bid with the lowest evaluated price from amongst those which are eligible, compliant and substantially responsive shall be the Successful Bid.

31.3 The Procuring Agency may adopt the Quality & Cost Based Selection Technique due to the following two reasons:

1. Where the Procuring Agency knows about the main features, usage and output of the products; however not clear about the complete features, technical specifications and functionalities of the goods to be procured and requires the bidders to submit their proposals defining those features, specifications and functionalities; or
2. Where the Procuring Agency, in addition to the mandatory requirements and mandatory technical specifications, requires parameters specified in Evaluation Criteria to be evaluated while determining the quality of the goods.

31.4 In such cases, the Procuring Agency may allocate certain weightage to these factors as a part of Evaluation Criteria, and may determine the ranking of the bidders on the basis of combined evaluation in accordance with provisions of Rule 2(1)(h) of the Public Procurement Rules, 2004.

32. Abnormally Low Financial Bids

32.1 Where the Bid price is considered to be abnormally low, the Procuring Agency shall perform price analysis either during determination of Successful Bids or as a part of the post-qualification process.

32.2 The Procuring Agency may reject an Abnormally low financial bids.

32.3 In order to identify the Abnormally Low Bids (ALB) following approaches can be considered to minimize the scope of subjectivity:

1. Comparing the Bids price with the cost estimate;
2. Comparing the Bids price with the Bids offered by other Bidders submitting substantially responsive Bids; and
3. Comparing the Bids price with prices paid in similar contracts in the recent past either government- or development partner-funded.

32.4 The Procuring Agency will determine to its satisfaction whether the Bidder that is selected as having submitted the successful bid is qualified to perform the contract satisfactorily.

32.5 The determination will take into account the Bidder's financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information as the Procuring Agency deems necessary and appropriate. Factors not included in these Bidding documents shall not be used in the evaluation of the Bidders' qualifications.

32.6 Procuring Agency may seek "Certificate for Independent Price Determination" from the Bidder and the results of reference checks may be used in determining an award of contract.

Explanation: The Certificate shall be furnished by the Bidder. The Bidder shall certify that the price is determined keeping in view of all the essential aspects such as raw material, its processing, value addition, optimization of resources due to economy of scale, transportation, insurance and margin of profit etc.

32.7 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's Bids, in which event the Procuring Agency will proceed to the next ranked Bidder to make a similar determination of that Bidder's capabilities to

perform satisfactorily.

F. Award of Contract

33. Criteria of Award

33.1 The Procuring Agency will award the Contract to the Bidder whose Bids has been determined to be substantially responsive to the Bidding documents and who has been declared as Most Advantageous Bidder.

34. Negotiations

34.1 The procuring agency shall not engage in negotiations with respect to scope and price with the bidder except when the procuring agency conducts a procurement using direct **or negotiated** contracting or a request for proposals with evaluation based on quality alone.

34.2 The procuring agency may negotiate with the most advantageous bid with a view to streamline the work or task execution, at the time of contract finalization on methodology, work plan, staffing, finalizing payment arrangements, delivery arrangements, minor amendments to the special conditions of the contract.

35. Procuring Agency Right to reject all bids

35.1 The Procuring Agency reserves the right to reject all bids or proposals at any time prior to the issuance of the Letter of Award, without incurring any liability, in accordance with Rule 33 of the Public Procurement Rules, 2004.

36. Procuring Agency's Right to Vary Quantities at the Time of Award

36.1 The Procuring Agency reserves the right at the time of contract award to increase or decrease the **quantity of** Goods originally specified in these Bidding documents provided this does not exceed **by** 15%, without any change in unit price or other terms and conditions of the Bids and Bidding documents.

37. Notification of Award

37.1 Prior to the award of contract, the procuring agency shall announce and publish the result of bid evaluation on **EPADS v2.0** in accordance with Rule 35

of the Public Procurement Rules, 2004.

37.2 The Bidder whose Bids has been accepted will be notified of the award by the Procuring Agency prior to expiration of the Bids/Bid Validity period. The Letter of Award will state the sum that the Procuring Agency will pay the successful Bidder in consideration for the delivery of Goods as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price).

37.3 The Letter of award will constitute the formation of the Contract, subject to the Bidder furnishing the Performance Guarantee and signing of the contract.

38. Signing of Contract

38.1 Promptly after issuance of Letter of award, Procuring Agency shall send the successful Bidder the draft Contract, incorporating all terms and conditions as agreed by the parties to the contract.

38.2 Immediately after the Redressal of grievance by the GRC (if any), mandatory standstill period in accordance with Rule 35 of the Public Procurement Rules, 2004 and **after fulfillment of all condition's precedent** of the Contract Form, the successful Bidder and the Procuring Agency shall sign the Contract.

39. Corrupt & Fraudulent Practices

39.1 Procuring Agencies (including beneficiaries of Government funded projects and procurement) as well as Bidders/Contractors under Government financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts, and will avoid to engage in any corrupt and fraudulent practices.

F. Grievance Redressal & Complaint Review Mechanism

40. Constitution of Grievance Redressal

40.1 The Grievance Redressal Committee shall address the grievance, if any submitted by any party, including the bidder, in accordance with Rule 48 of the Public Procurement Rules, 2004 to be read with Redressal of Grievances Regulations, 2021.

40.2 In case if any party or the bidder is not satisfied with the decision of the GRC or if it fails to decide within ten days, the bidder or the party may file an appeal before the Appellate Committee of the Authority in accordance with Rule 48 of the Public Procurement Rules, 2004 to be read with Redressal of Grievances Regulations, 2021.

G. Mechanism of Blacklisting

41. Mechanism of Blacklisting

41.1 The Procuring Agency shall initiate blacklisting proceedings against any bidder, supplier, or contractor in accordance with the Mechanism for Blacklisting Regulations, 2024, read with Rule 19 of the Public Procurement Rules, 2004.

41.2 The blacklisted/debarred bidder may file the review petition before the Authority in accordance with Rule 19 of the Public Procurement Rules, 2004 to be read with Procedure of filing and disposal of Review Petitions Regulations, 2021.





Bid Data Sheet

Bids Data Sheet (BDS)

The following specific data for the procurement of Goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

BDS Clause Number

ITB Number

Amendments of, and Supplements to, Clauses in the Instruction to Bidders

A. Introduction

BDS Clause Number 1

ITB Number 1.1

Name of Procuring Agency: **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan)**

The subject of procurement is: **Procurement of Furniture & Fixtures for PAAA Islamabad**

Expected commencement date: **Tuesday, October 27, 2026**

BDS Clause Number 2

ITB Number 2.1

Financial year for the operations of the Procuring Agency: **2026-27**

Name and identification number of the Contract: **P118837**

BDS Clause Number 3

ITB Clause Number 3.1

JV/Consortium or Association Allowed: **No**

Number of JV/Consortium Members: **Nil**

see section of eligibility criteria.

B. Bidding Documents

BDS Clause Number 4

ITB Number 8.1

The Bidders may seek clarifications through **EPADS v2.0** : Clarification Date: Sunday, September 27, 2026
Pre-Bid Meeting: Wednesday, September 23, 2026 11:00 AM
Venue: PAAA, Office of the Auditor General of Pakistan, Constitution Avenue, G 5/2, Islamabad

C. Preparation of Bids

BDS Clause Number 5

ITB Number 10.1

The Language of all correspondences and documents related to the Bids shall be in: **English**

List of documents required along with the bid:

1. Documents and Photographs for automatic and semi-automatic wood facility, polishing equipment, knockdown equipment and metal work facility
2. Verified copies of Purchase Orders / Signed Contracts alongside corresponding Client Completion/Delivery Certificates clearly stating contract value.
3. Client details corresponding to submitted completion certificates confirming distinct legal entities.
4. Audited Financial Statements (last 3 years) certified by a Chartered Accountant and FBR Income Tax Returns.
5. Organizational Structure Chart + organogram write-up on letterhead showing dedicated R&D workflow.
6. Payroll records / EOBI challan + CVs of qualified Interior Designers/ Architects on staff.
7. Formal Warranty Undertaking provided on PKR 100/- e-Stamp Paper.

BDS Clause Number 6

ITB Number 11.1

Items/Lots and therrre related documents:

See section items and Lots

BDS Clause Number 7

ITB Number 12.1

Items / Lots Specifications:

see section of items specifications.

BDS Clause Number 8

ITB Number 15.6

The price shall be **Fixed**.

BDS Clause Number 9

ITB Number 16.1

Currency of the Bids shall be : **PKR**

BDS Clause Number 10

ITB Number 17.1

The Bids/Bid Validity period shall be: **90 Days**

BDS Clause Number 11

ITB Number 18.1

The amount of Bid Security shall be as defined in Bid Security Section for items and lots given in **BDS 6**

The Bid Security shall be in the form of: **Pay Order, Bank Guarantee**

D. Submission of Bids

BDS Clause Number 12

ITB Number 20.1

Bid shall be submitted online on EPADS v2.0 whereas hard copy of the bid security should be submitted to the following;

Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab. before bid submission deadline.

Bids that are not submitted on EPADS v2.0 shall be disqualified.

The deadline for Bids submission is: **Thursday, October 1, 2026 11:00 AM**

E. Opening and Evaluation of Bids

BDS Clause Number 13

ITB Number 23.1

The Bids opening shall take place on **EPADS v2.0**.

Day : **Thursday**

Date: **Thursday, October 1, 2026**

Time : **11:30 AM**

BDS Clause Number 14

ITB Number 31.1

Selection technique adopted will be: **Quality and Cost Based Selection (QCBS)**

see Evaluation Criteria


F. Review of Procurement Decisions

BDS Clause Number 15

ITB Number 41.1

Grievance against this procurement shall be submitted online on EPADS v2.0.

Arbitrator shall be appointed by mutual consent of the both parties.




Eligibility Criteria

Bidder's Type	Required Registration
Sole Proprietorship	FBR (NTN)
Partnership Firm	FBR (GSTN)
Company (Private Limited)	SECP
Company (Public Limited)	Registrar of Firms
Company (Holding Company)	
Company (Limited by Guarantee)	
State Owned Enterprise (Private Limited)	
State Owned Enterprise (Public Limited)	

Eligibility Criteria	Document
Proof of Business Registration with SECP or Equivalent registration document under the laws of Pakistan	Yes
Complete Business Profile	Yes
Showrooms/Workshop in capitals of at-least 2 provinces/ federal capital	Yes
Affidavit on non-judicial stamp paper of Rs. 100/- that bidder has never been under investigation for offences related to fraud, under-invoicing, tax evasion, concealment, money laundering etc.	Yes

Affidavit on non-judicial stamp paper of Rs. 100/- stating that the bidder is not blacklisted by any public sector organization in Pakistan	Yes
Details of litigations (if any) on non-judicial stamp paper of Rs. 100/- for default of services	Yes
Letter of Bid Validity period of 90 days	Yes
Certifications / Memberships ISO certified	Yes
Own factory and warehouse area 5,000 ft ² or above with required facilities (Physical Verification)	Yes



Evaluation Criteria

Eligible bidder(s) with substantially responsive bid(s) offering **Quality and Cost Based Selection (QCBS)** shall be consider for the award of contract(s).

Quality and Cost Based Selection (QCBS)

Weightage

Technical Evaluation %	Financial Evaluation %
70	30

Technical Marks	100
Passing Marks	70
Technical Competencies & Manufacturing Automation	
Wood seasoning facility (Quantitative)(Doc Required)	8
Wood seasoning facility (Automatic) (8)	
Wood seasoning facility (Semi Automatic) (6)	

Polishing equipment (Quantitative)(Doc Required)	8
Polishing equipment (Automatic) (8)	
Polishing equipment (Semi Automatic) (6)	
Knockdown equipment (Quantitative)(Doc Required)	7
Knockdown equipment (Automatic) (7)	
Knockdown equipment (Semi Automatic) (5)	
Metal work facility (Quantitative)(Doc Required)	7
Metal work facility (Automatic) (7)	
Metal work facility (Semi Automatic) (5)	
Relevant Project Experience & Past Performance	

Number of Completed Projects (Furniture supply contracts executed in last 5 years, valued at $\geq$ PKR 100 Million each) (Quantitative)(Doc Required) $\geq$ 8 projects (16) 7 projects (14) 6 projects (12) 5 projects (10) 4 projects (8) 3 projects (6) 2 projects (4) 1 projects (2)	16
Diversity of Client Base (Distinct Government, Semi-Government, Autonomous; Corporate, or Multinational clients served) (Quantitative)(Doc Required) $\geq$ 5 Distinct Clients (4) 4 Distinct Clients (3) 3 Distinct Clients (2) 2 Distinct Clients (1)	4
Financial Strength & Annual Turnover	

Average Annual Turnover for the Last Three (03) Audited Financial Years (Quantitative)(Doc Required) PKR 1000 Million or above (15) PKR 750 Million or above (11) PKR 500 Million or above (8) PKR 250 Million or above (4) PKR 100 Million or above (2)	15
R&D, Design Capacity & Human Resources	
Dedicated R&D Department (Quantitative)(Doc Required)	5
In-House Interior Design Department (with qualified staff) (Quantitative)(Doc Required) Two (2) designers / architects with Bachelor's degree with 10 Years of relevant experience and Three (3) designers / architects with Bachelor's degree with 5 Years of relevant experience (5) One (1) designer / architect with Bachelor's degree with 10 Years of relevant experience and Two (2) designers / architects with Bachelor's degree with 5 Years of relevant experience (3) Two (2) designers / architects with bachelor's degree with 5 years of relevant experience (1)	5
Supplier's Standing & Experience	

Years of Legal Establishment in Pakistan (Quantitative)(Doc Required)	10
10 Years (10)	
9 Years (9)	
8 Years (8)	
7 Years (7)	
6 Years (6)	
5 Years (5)	
4 Years (4)	
3 Years (3)	
2 Years (2)	
1 Years (1)	
Warranty Commitment & After-Sales Support	
Comprehensive Warranty (Includes termite treatment, replacement within 14 days, repair within 7 days) (Quantitative)(Doc Required)	12
Up to 05 Years or more (12)	
Up to 4 Years (8)	
2 to 3 years (6)	



Items/Lots

Items Without Lots :

Item	UNSPSC	Delivery Schedule	Quantity	Bid Security	Sample Quantity	Manufacturer / Dealer Authorization	Warranty
Furniture & Fixture	Furniture set	Address: Pakistan Audit & Accounts Academy (PAAA), H-8/4, Islamabad Schedule: 60 Days Quantity: 4724/Qty	4724/Qty	5000000 PKR	183	Any	1 Years

Related Services of Goods:

Yes

Item	UNSPSC	Related Services
Furniture & Fixture	Furniture set	1. Installation & Commissioning 2. Technical support 3. Warranty and after-sales service 4. On-site testing 5. Transportation

Items/Lot Specification

Items Without Lots :

Item: Furniture & Fixture

UNSPSC: Furniture set

Specifications / Requirementss:

S. #	Item	Specifications	Unit	Qty.
1	Classroom - Chair- Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	244

S. #	Item	Specifications	Unit	Qty.
2	Classroom - Desk (Double)	Custom-made classroom desk, overall size approximately 6 ft (L) x 2 ft (D) x 2.5 ft (H), fabricated with either a sturdy base/frame of 2" x 1" 18-gauge MS prime pipe, powder-coated in approved colour, or solid seasoned Sheesham wood as approved. The desktop shall be made of MDF/HDF (Alnoor or equivalent) finished with tactile melamine sheet, imported paper sheet, or polished veneer as approved, with imported PVC machine edging on all exposed sides and overall finished with customized CNC work. The desk shall include a front modesty panel, a cable hole cover, and integrated power provision comprising a multi-socket outlet with one-meter flexible wire enclosed in protective conduit for proper cable management. All hardware shall be first-quality. Installation shall ensure level, stable placement, proper alignment, and completeness with all necessary fittings and accessories.	No.	2
3	Classroom - Desk (Single)	Custom-made classroom desk, overall size approximately 3 ft (L) x 2 ft (D) x 2.5 ft (H), fabricated with either a sturdy base/frame of 2" x 1" 18-gauge MS prime pipe, powder-coated in approved color, or solid seasoned Sheesham wood as approved. The desktop shall be made of MDF/HDF (Alnoor or equivalent) finished with tactile melamine sheet, imported paper sheet, or polished veneer as approved, with imported PVC machine edging on all exposed sides and overall finished with customized CNC work. The desk shall include a front modesty panel, a cable hole cover, and integrated power provision comprising a multi-socket outlet with one-meter flexible wire enclosed in protective conduit for proper cable management. All hardware shall be first-quality. Installation shall ensure level, stable placement, proper alignment, and completeness with all necessary fittings and accessories.	No.	244

S. #	Item	Specifications	Unit	Qty.
4	Classroom - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	8
5	Classroom - Whiteboard	Custom-made whiteboard, overall size approximately 8 ft (L) x 4 ft (H), featuring a high-quality dry-erase surface suitable for markers. Edges shall be finished with anodized or powder-coated aluminium channels, including integrated marker tray(s) at the bottom. The whiteboard shall be securely wall-mounted using appropriate fasteners, ensuring level alignment, stability, and safe usage. All components shall be of first quality, complete with all necessary fittings and accessories.	No.	2
6	Common Area - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	30

S. #	Item	Specifications	Unit	Qty.
7	Common Area - Reception - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	3
8	Common Area - Reception - Counter	Custom-made reception counter, overall size approximately 10 ft (L) x 2 ft (D) x 3 ft (H), featuring dual working heights of 30" and 36". The countertop shall be a single-piece 14-16 mm thick Emperador Spanish marble or 12 mm thick Corian, supported underneath with HDX sheet for structural strength. The sides and body shall be fabricated from MDF (Alnoor brand or equivalent), finished with first-quality deco paint or tactile sheet as approved. The counter shall include two drawers on each side, with a central shelf and partition, all fitted with first-quality hardware (hinges, drawer channels, handles, locks, etc.). The front façade shall feature a prominently displayed logo with integrated rope lighting. Installation shall ensure level alignment, stability, and completeness with all fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
9	Common Area - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	48
10	Common Area - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	48
11	Common Area - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	3

S. #	Item	Specifications	Unit	Qty.
12	Common Area - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	6
13	Common Area - Table - Centre (Option 1)	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	2
14	Common Area - Table - Centre (Option 2)	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	10

S. #	Item	Specifications	Unit	Qty.
15	Common Area - Table - Coffee (Option 1)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4
16	Common Area - Table - Coffee (Option 2)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	20
17	Common Area - Table - Console (Option 1)	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Ashwood Veneer And solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
18	Common Area - Table - Console (Option 2)	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"×1" rectangular MS pipe, powder-coated in approved colour for durability and structural stability. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). Installation shall ensure stability, proper alignment, and completeness with all necessary fittings and accessories.	No.	2
19	Hostel - Room - Bed - Double	Custom-made King Double Bed, made of seasoned Sheesham wood, including headboard, footboard, 1.5" thick side supports, and sturdy legs, finished in natural polish. The bed shall include 1st quality multi-foam padding on the headboard, upholstered in imported leatherette (Rs. 2000+/-meter or yard). Inner supports shall be made of HDX sheet with first-quality hardware, ensuring structural stability and durability. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	13
20	Hostel - Room - Bed - Single	Custom-made Single Bed, made of seasoned Sheesham wood, including headboard, footboard, 1.5" thick side supports, and sturdy legs, finished in natural polish. The bed shall include 1st quality multi-foam padding on the headboard, upholstered in imported leatherette (Rs. 2000+/-meter or yard). Inner supports shall be made of HDX sheet with first-quality hardware, ensuring structural stability and durability. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	40

S. #	Item	Specifications	Unit	Qty.
21	Hostel - Room - Chair - Dining	Custom-made Wooden Dining Chair, with legs, frame, and backrest fabricated from seasoned Sheesham wood, finished in natural polish. The seat shall include first-quality multi-foam padding, upholstered in high quality leatherette. All joints and connections shall be durable, ensuring structural stability and suitability for continuous use. The chair shall be ergonomically proportioned for adult comfort and complete with all necessary fittings and accessories.	No.	52
22	Hostel -Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	53
23	Hostel - Room - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
24	Hostel - Room - Rack - Luggage	Custom-made Luggage Rack, overall size approximately 42" (L) × 18" (D) × 18" (H), fabricated with MDF/HDF finished in Alnoor brand or equivalent tactile sheet with imported PVC edging on all exposed sides. The unit shall include two front drawers with first-quality hardware. Legs shall be made of custom-shaped seasoned Sheesham wood, finished in natural polish. The top shall be reinforced with 1.5" wide, 4-6 mm thick stainless steel bars (approx. 36" long) for durability, and fitted with a U-shaped structure made of 1" square, 18-gauge stainless steel pipe for holding luggage securely. All components shall be robust, properly assembled, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	13
25	Hostel - Room - Setty	Custom-made Setty, overall size approximately 60" (L) × 15" (D) × 18" (H), fabricated for bedroom use with a robust structure made of seasoned Keekar wood. The seat, sides, front, and back shall have first-quality multi-foam padding, upholstered in imported leatherette (Rs. 2000+/yard). Legs shall be made of seasoned Sheesham wood, finished in natural polish. All components shall be durable, properly assembled, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	13
26	Hostel - Room - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
27	Hostel - Room - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	13
28	Hostel - Room - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
29	Hostel -Room - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	66

S. #	Item	Specifications	Unit	Qty.
30	Hostel - Room - Table - Bed Side Table (Option 1)	Custom-made Bedside Table, overall size approximately 2' (L) × 1.5' (D) × 2' (H), fabricated from seasoned Sheesham wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include one or two drawers, fitted with first-quality hardware (handles, sliders, locks, etc.), and a smooth, polished top surface. All edges shall be finished neatly, and the table shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	26
31	Hostel - Room - Table - Bed Side Table (Option 2)	Custom-made Bedside Table (Single Room, Option 2), overall size approximately 2' (L) × 1.5' (D) × 2' (H), fabricated with a sturdy MDF/HDF sheet body (Alnoor or equivalent) and supported on a powder-coated metal frame for durability and modern aesthetics. The table shall include one or two drawers, fitted with first-quality hardware (handles, sliders, locks, etc.). The tabletop shall be finished with premium laminate or tactile/super glass sheet as approved, with neatly trimmed PVC edging on all exposed sides. The unit shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	40
32	Hostel - Room - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	13

S. #	Item	Specifications	Unit	Qty.
33	Hostel - Room - Table - Coffee (Option 1)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	26
34	Hostel - Room - Table - Coffee (Option 2)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	40
35	Hostel - Room - Table - Study (Option 1)	Custom-made study table, overall size approximately 4' (L) x 2' (D) x 2.5' (H), fabricated from premium MDF/HDF (Alnoor or equivalent) with all exposed surfaces veneered in Sheesham wood for aesthetics. The tabletop shall be built-up with minimum 2" overall thickness, polished for durability and appearance. The table shall include one drawer and one open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). Legs and supporting frame shall be robust and finished with natural polish on exposed parts. The unit shall be sturdy, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	13

S. #	Item	Specifications	Unit	Qty.
36	Hostel - Room - Table - Study (Option 2)	Custom-made study table, overall size approximately 3' (L) × 2' (D) × 2.5' (H), fabricated with MDF/HDF sheet (Alnoor or equivalent) and supported on a powder-coated metal frame for structural stability and durability. The tabletop and exposed surfaces shall be finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved, with imported PVC edging on all edges. The table shall include one drawer and an open shelf, fitted with first-quality hardware (handles, sliders, locks, etc.). The unit shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	40
37	Hostel - Room - Table -Dining for 4	Custom-made Dining Table, overall size approximately 3.5 ft (L) × 3.5 ft (D) × 2.5 ft (H), suitable for 4 persons. The table shall be fabricated with a sturdy frame, either from 18-gauge mild steel (MS) square pipe, powder-coated with high-quality durable paint, or alternatively from solid seasoned Sheesham wood as approved. The tabletop shall be made of 14-16 mm thick marble slab or high-quality MDF/HDF sheet finished with laminate/veneer as approved, supported underneath with HDX sheet for structural strength. All components shall be fitted with first-quality hardware, ensuring stability, proper alignment, and long-lasting performance. The unit shall be complete with all necessary fittings and accessories.	No.	13

S. #	Item	Specifications	Unit	Qty.
38	Library cum Workshop Hall - Cabinet	Custom-made Library Cabinet with Glass Shutters, overall size approximately 4' (L) × 8' (H) × 1.5' (D) (dimensions can be adjusted on-site as required). The cabinet shall be fabricated from 32 mm thick MDF/HDF (Alnoor or equivalent) for the structure, finished with high-quality tactile sheet or laminate, with imported PVC machine edging on all exposed sides. The cabinet shall include 3-4 adjustable or fixed shelves forming 4-5 compartments, with the front fitted with clear or frosted glass shutters in aluminium or powder-coated frame. All components shall be supported with first-quality hardware (hinges, handles, channels, locks as required). The unit may be wall-mounted or floor-supported as per site conditions and PMU instructions. Installation shall ensure level alignment, stability, and safe usage, complete with all necessary fittings and accessories.	ft ²	600
39	Library cum Workshop Hall - Chair -Static - Wooden (Library Chair)	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	76

S. #	Item	Specifications	Unit	Qty.
40	Library cum Workshop Hall - Flipchart Board/Stand	Custom-made Flipchart Board with Stand, overall size approximately 36" x 24" (writing surface), mounted on a sturdy adjustable tripod or four-leg metallic stand. The board surface shall be high-quality, suitable for dry-erase markers, with smooth erasable finish. The edges shall be protected with anodised or powder-coated aluminium channels for durability. The stand shall include adjustable height mechanism to suit seated or standing use and a marker tray at the bottom. All components shall be first-quality, robust, and stable, ensuring safe usage and long-lasting performance, complete with all necessary fittings and accessories.	No.	1
41	Library cum Workshop Hall - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
42	Library cum Workshop Hall - Rack	Custom-made Library Rack, overall size approximately 4' (L) × 8' (H) × 1.5' (D), comprising a sturdy metallic frame made of 1" × 1" square, 16-18-gauge powder-coated steel for structural stability. Shelves shall be fabricated from 32mm thick MDF/HDF (Alnoor brand or equivalent) finished with high-quality tactile sheet or super glass sheet and imported PVC machine edging on all exposed sides. The unit shall include 4-5 fixed shelves spaced evenly to form multiple compartments suitable for heavy books and reference materials. All components shall be supported with first-quality hardware and fasteners. The rack may be free-standing or wall-fixed as required, and installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	ft ²	1,600
43	Library cum Workshop Hall - Reception - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
44	Library cum Workshop Hall - Reception - Counter	Custom-made Reception Counter, overall size approximately 6' (L) × 2' (D) × 3' (H), designed with double working heights of 30" and 36" respectively. The countertop shall be made of a single-piece 14- 16mm thick Emperador Spanish marble or 12mm thick Corian, supported with HDX sheet underneath for structural strength. The sides and body shall be fabricated from MDF/HDF sheet, finished with first-quality deco paint or Alnoor brand (or equivalent) tactile sheet as approved. The counter shall include two drawers on each side, along with a central shelf and partition, complete with first-quality hardware fittings (hinges, channels, handles, locks, etc.). The front façade shall feature a prominently displayed logo with integrated rope lighting. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
45	Library cum Workshop Hall - Table	Custom-made Study Table, overall size approximately 8" (L) × 3.5" (D) × 2.5" (H), suitable for 8 persons. The table shall be fabricated with a sturdy base and frame made of 1" × 3" 18-gauge mild steel (MS) pipe, powder-coated with first-quality paint for durability. The tabletop shall be 32mm thick MDF finished with Alnoor brand or equivalent tactile sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	8
46	Lobby - Main - Chair - Static	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	8

S. #	Item	Specifications	Unit	Qty.
47	Lobby - Main - Table - Coffee	Custom-made Coffee Table, overall size approximately 2 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), featuring a slightly bulky and elegant profile with a sturdy structure for long-term durability and stability. The tabletop shall be made of MDF/HDF finished with premium Sheesham veneer and polished for a refined appearance, while the base and frame shall be robustly constructed to withstand continuous use. All exposed parts shall be finished to a high standard with smooth edges and fine detailing, maintaining a cohesive aesthetic. The unit shall include strong joinery and first-quality fittings where applicable, and installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	4
48	Lobby - Main - Table - Console	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Mahogany Veneer and solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	4

S. #	Item	Specifications	Unit	Qty.
49	Meeting Area - Conference Hall + Lounge - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	24
50	Meeting Area - Conference Hall + Lounge - Chair - Revolving - Executive	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
51	Meeting Area - Conference Hall + Lounge - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	14
52	Meeting Area - Conference Hall + Lounge - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1
53	Meeting Area - Conference Hall + Lounge - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
54	Meeting Area - Conference Hall + Lounge - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	3
55	Meeting Area - Conference Hall + Lounge - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
56	Meeting Area - Conference Hall + Lounge - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
57	Meeting Area - Conference Hall + Lounge - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1
58	Meeting Area - Conference Hall + Lounge - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	13

S. #	Item	Specifications	Unit	Qty.
59	Meeting Area - Conference Hall + Lounge - Table - Console	Custom-made Console, overall size approximately 8 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality MDF/HDF (Alnoor or equivalent) finished with premium veneer, laminate, or tactile sheet as approved. The unit shall comprise closed storage only, including drawers and hinged shutters (cabinets) as required. Provision for concealed cable management shall be included, with internal routing for power and data connections, along with ventilation slots where necessary. All hardware (hinges, channels, handles, locks, etc.) shall be first quality. The console shall be robust, neatly finished with precise alignment, and securely installed ensuring stability, durability, and completeness with all necessary fittings and accessories.	No.	1
60	Meeting Area - Conference Hall + Lounge - Table - Meeting	Custom-made Conference Table, overall size approximately 32 ft (L) × 6 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16-18 mm thick MDF/HDF with premium veneer finish as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with high-quality moulding in solid wood as approved. The base shall be robustly constructed from MDF/HDF with matching veneer finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 24+1 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
61	Meeting Area - Meeting Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	24
62	Meeting Area - Meeting Room - Chair - Revolving - Executive	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests may be adjustable. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
63	Meeting Area - Meeting Room - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	24
64	Meeting Area - Meeting Room - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	12

S. #	Item	Specifications	Unit	Qty.
65	Meeting Area - Meeting Room - Table - Meeting	Custom-made Meeting Table, overall size approximately 16 ft (L) × 4 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16-18 mm thick MDF/HDF with premium veneer finish as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with high-quality solid wood moulding as approved. The base shall be robustly constructed from MDF/HDF with matching veneer finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 12+1 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	2
66	Meeting Area - Syndicate Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	36

S. #	Item	Specifications	Unit	Qty.
67	Meeting Area - Syndicate Room - Table - Meeting	Custom-made Meeting Table, overall size approximately 14 ft (L) × 4 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16-18 mm thick MDF/HDF finished with high-quality tactile/laminate sheet as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with imported PVC machine edging or solid wood moulding as approved. The base shall be robustly constructed from MDF/HDF with matching sheet finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 10 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	3
68	Mess - Dining Hall - Chair - Dining	Custom-made Wooden Dining Chair, with legs, frame, and backrest fabricated from seasoned Sheesham wood, finished in natural polish. The seat shall include first-quality multi-foam padding, upholstered in high quality leatherette. All joints and connections shall be durable, ensuring structural stability and suitability for continuous use. The chair shall be ergonomically proportioned for adult comfort and complete with all necessary fittings and accessories.	No.	80

S. #	Item	Specifications	Unit	Qty.
69	Mess - Dining Hall - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1
70	Mess - Dining Hall - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4
71	Mess - Dining Hall - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4

S. #	Item	Specifications	Unit	Qty.
72	Mess - Dining Hall - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4
73	Mess - Dining Hall - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	4
74	Mess - Dining Hall - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	4

S. #	Item	Specifications	Unit	Qty.
75	Mess - Dining Hall - Table - Dining	Custom-made Circular Dining Table, overall size approximately 4 ft diameter × 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14-16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	2
76	Mess - Dining Hall - Table - Dining	Custom-made Dining Table, overall size approximately 2.5 ft (L) × 2.5 ft (D) × 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14-16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	8
77	Mess - Dining Hall - Table - Dining	Custom-made Dining Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14-16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	16

S. #	Item	Specifications	Unit	Qty.
78	Mess - Dining Hall - Table - Service	Custom-made Dining Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14-16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	10
79	Prayer Area - Masjid - Mimbar	Custom-made Mimbar, overall size approximately 3 ft (L) × 1.5 ft (D) × 4 ft (H) (dimensions can be adjusted on-site as required), fabricated from premium Sheesham wood with solid construction for durability and stability. The unit shall include a small raised platform with 1-2 steps, a sloped reading surface for the Quran, and side panels for support. All exposed parts shall be finished with natural polish for a neat and elegant appearance. The Mimbar shall be robust, suitable for regular use, and complete with first-quality joinery and fittings. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary accessories.	No.	1
80	Premises Wise - Chair - Mettalic + Upholstered - Outdoor	Custom-made Outdoor Chair, with a sturdy frame constructed from 1" diameter, 18-gauge mild steel pipe, powder-coated with first-quality paint for durability and weather resistance. The seat and backrest shall be upholstered with PVC or high-quality waterproof fabric suitable for outdoor use. All joints and connections shall be properly welded and finished to ensure long-term stability and safe usage, complete with all necessary fittings and accessories.	No.	16

S. #	Item	Specifications	Unit	Qty.
81	Premises Wise - Seating Bench - Concrete - Outdoor	Custom-made 3-Seater Concrete Bench, finished with durable, weather-resistant paint suitable for outdoor exposure, ensuring long-lasting protection against sun, rain, and environmental elements.	No.	20
82	Premises Wise - Seating Bench - Wooden - Outdoor	Custom-made Wooden Outdoor Double Bench, fabricated from seasoned Sheesham wood with all exposed parts finished in natural polish. The bench shall be robust and suitable for continuous outdoor use, complete with first-quality joinery and hardware, ensuring stability, durability, and long-term performance.	No.	6
83	Premises Wise - Seating Bench - Wooden + Mettalic	Custom-made Seating Bench, overall size approximately 78" (L) × 20" (D) × 18" (H), with base and back constructed from 1" × 3", 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. Solid seasoned Sheesham wood slats shall be fixed on the seat and backrest, finished in natural polish. The bench shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	20
84	Premises Wise - Table - Wooden - Outdoor	Custom-made Wooden Outdoor Table, overall size approximately as required (typical 4 ft × 2.5 ft × 2.5 ft H), fabricated from seasoned Sheesham wood or equivalent durable hardwood for all exposed parts, finished with weather-resistant natural polish. The table shall include sturdy legs and supports to ensure stability on uneven surfaces. All joints and connections shall be reinforced for long-term durability under outdoor conditions. Installation shall ensure proper alignment, stability, and completeness with all necessary fittings and accessories.	No.	4

S. #	Item	Specifications	Unit	Qty.
85	Workspace - 01 - Rector - Lobby - Table - Console	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Ashwood Veneer And solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
86	Workspace - 01 - Rector - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF) with premium natural veneer finish (oak or equivalent) as approved, polished in high-quality clear or stain finish, with high quality edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
87	Workspace - 01 - Rector - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
88	Workspace - 01 - Rector - Office - Chair - Static	Custom-made premium static wooden chair with armrests, fabricated from high-quality seasoned Sheesham wood with a rich natural polish finish, featuring a slightly heavier and more refined profile for an executive appearance. The chair shall include high-density multi-foam padding on the seat and backrest, ergonomically shaped for enhanced comfort, and upholstered in premium-quality leatherette. All exposed wooden elements shall be finely finished with smooth edges and superior craftsmanship. The structure shall incorporate reinforced joinery for added strength and long-term durability. The chair shall be robust, aesthetically refined, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
89	Workspace - 01 - Rector - Office - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3.25 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, clean-line design. The seat and back shall incorporate high-density, multi-layered foam with a soft top layer for enhanced comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	4
90	Workspace - 01 - Rector - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant profile. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The sofa shall be robust, comfortable, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
91	Workspace - 01 - Rector - Office - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall size approximately 7.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant design. The seat and back shall incorporate high-density, multi-layered foam with superior cushioning for extended comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
92	Workspace - 01 - Rector - Office - Sofa Chair	Custom-made premium sofa chair, slightly more substantial in form, with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs, armrests, and edges, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant appearance. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The chair shall be durable, comfortable, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
93	Workspace - 01 - Rector - Office - Table - Centre	Custom-made Centre Table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-term durability.	No.	1
94	Workspace - 01 - Rector - Office - Table - Coffee	Custom-made Coffee Table, overall size approximately 2 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a refined and cohesive appearance. The table shall be sturdy, well-balanced, and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4

S. #	Item	Specifications	Unit	Qty.
95	Workspace - 01 - Rector - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 8 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality MDF with premium natural veneer finish (oak or equivalent) as approved, polished for a rich and elegant appearance, with imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
96	Workspace - 01 - Rector - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 8 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick MDF with premium natural veneer finish (oak or equivalent) as approved. The tabletop shall be built-up MDF with minimum 2.75" overall thickness, finished with matching veneer polish and imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC detailing on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
97	Workspace - 01 - Rector - Retiring Room - Sofa - 1- Seater	Custom-made 1-seater sofa, minimum overall size approximately 3.25 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, clean-line design. The seat and back shall incorporate high-density, multi-layered foam with a soft top layer for enhanced comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	2
98	Workspace - 01 - Rector - Retiring Room - Sofa - 2- Seater	Custom-made 2-seater sofa, minimum overall size approximately 5.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant profile. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The sofa shall be robust, comfortable, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
99	Workspace - 01 - Rector - Retiring Room - Sofa - Recliner - 1- Seater	Imported Single-Seater Recliner Chair, designed for premium executive comfort, featuring a sturdy internal frame with high-quality cushioning using multi-layered, high-density foam for superior seating experience. The chair shall include a smooth reclining mechanism (manual or motorized as approved) with adjustable backrest and integrated footrest for full-body support. Upholstery shall be in premium imported leatherette (minimum Rs. 3000+/yard), genuine leather, or high-quality fabric as approved, with refined stitching and finishing. The armrests shall be well-padded, and the overall form shall be ergonomically designed for extended use. The base structure shall be stable and durable, suitable for continuous use in executive environments, complete with all necessary fittings and accessories.	No.	1
100	Workspace - 01 - Rector - Retiring Room - Sofa Chair	Custom-made premium sofa chair, slightly more substantial in form, with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs, armrests, and edges, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant appearance. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The chair shall be durable, comfortable, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
101	Workspace - 01 - Rector - Retiring Room - Table - Centre	Custom-made Centre Table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-term durability.	No.	1
102	Workspace - 01 - Rector - Retiring Room - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	2

S. #	Item	Specifications	Unit	Qty.
103	Workspace - 02 - Director General - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF), finished with high-quality tactile sheet, super glass sheet, or melamine sheet as approved, with imported PVC edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
104	Workspace - 02 - Director General - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
105	Workspace - 02 - Director General - Office - Chair - Static	Custom-made premium static wooden chair with armrests, fabricated from high-quality seasoned Sheesham wood with a rich natural polish finish, featuring a slightly heavier and more refined profile for an executive appearance. The chair shall include high-density multi-foam padding on the seat and backrest, ergonomically shaped for enhanced comfort, and upholstered in premium-quality leatherette. All exposed wooden elements shall be finely finished with smooth edges and superior craftsmanship. The structure shall incorporate reinforced joinery for added strength and long-term durability. The chair shall be robust, aesthetically refined, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2
106	Workspace - 02 - Director General - Office - Sofa - 1- Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
107	Workspace - 02 - Director General - Office - Sofa - 2- Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
108	Workspace - 02 - Director General - Office - Sofa - 3- Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
109	Workspace - 02 - Director General - Office - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
110	Workspace - 02 - Director General - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1
111	Workspace - 02 - Director General - Office - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4
112	Workspace - 02 - Director General - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 7 ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from high-quality Medium Density Fibreboard (MDF) with built-up structure, finished with tactile sheet, super glass sheet, or melamine sheet as approved, and imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
113	Workspace - 02 - Director General - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 7 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2.75" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1
114	Workspace - 02 - Director General - Retiring Room - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
115	Workspace - 02 - Director General - Retiring Room - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
116	Workspace - 02 - Director General - Retiring Room - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
117	Workspace - 02 - Director General - Retiring Room - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1

S. #	Item	Specifications	Unit	Qty.
118	Workspace - 03 - Director - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF), finished with high-quality tactile sheet, super glass sheet, or melamine sheet as approved, with imported PVC edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	5
119	Workspace - 03 - Director - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests may be adjustable. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	5

S. #	Item	Specifications	Unit	Qty.
120	Workspace - 03 - Director - Office - Chair - Static	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	10
121	Workspace - 03 - Director - Office - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	10
122	Workspace - 03 - Director - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	5

S. #	Item	Specifications	Unit	Qty.
123	Workspace - 03 - Director - Office - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
124	Workspace - 03 - Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	5
125	Workspace - 03 - Director - Office - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	20

S. #	Item	Specifications	Unit	Qty.
126	Workspace - 03 - Director - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 7 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality Medium Density Fibreboard (MDF) with built-up structure, finished with tactile sheet, super glass sheet, or melamine sheet as approved, and imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	5
127	Workspace - 03 - Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 7 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2.5" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	5

S. #	Item	Specifications	Unit	Qty.
128	Workspace - 04 - Deputy Director - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
129	Workspace - 04 - Deputy Director - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	8
130	Workspace - 04 - Deputy Director - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

S. #	Item	Specifications	Unit	Qty.
131	Workspace - 04 - Deputy Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	2
132	Workspace - 04 - Deputy Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) x ft (D) x 2.5 ft (H), along with a matching side rack approximately ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	2

S. #	Item	Specifications	Unit	Qty.
133	Workspace - 05 - Assistant Director - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	1
134	Workspace - 05 - Assistant Director - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
135	Workspace - 05 - Assistant Director - Office - Sofa - 2- Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1

S. #	Item	Specifications	Unit	Qty.
136	Workspace - 05 - Assistant Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	1
137	Workspace - 05 - Assistant Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) x ft (D) x 2.5 ft (H), along with a matching side rack approximately ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
138	Workspace - 06 - Audit Officer - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10
139	Workspace - 06 - Audit Officer - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	20
140	Workspace - 06 - Audit Officer - Office - Sofa - 2- Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	10

S. #	Item	Specifications	Unit	Qty.
141	Workspace - 06 - Audit Officer - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	10
142	Workspace - 06 - Audit Officer - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) x ft (D) x 2.5 ft (H), along with a matching side rack approximately ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	10

S. #	Item	Specifications	Unit	Qty.
143	Workspace - 07 - Assistant Audit Officer - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10
144	Workspace - 07 - Assistant Audit Officer - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	20

S. #	Item	Specifications	Unit	Qty.
145	Workspace - 07 - Assistant Audit Officer - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	10
146	Workspace - 08 - Assistant Private Secretary - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
147	Workspace - 08 - Assistant Private Secretary - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
148	Workspace - 08 - Assistant Private Secretary - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1

S. #	Item	Specifications	Unit	Qty.
149	Workspace - 09 - Steno-Typist - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	6
150	Workspace - 09 - Steno-Typist - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	12

S. #	Item	Specifications	Unit	Qty.
151	Workspace - 09 - Steno-Typist - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16-18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	6
152	Workspace - 10 - Senior Auditor - Shared Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	5

S. #	Item	Specifications	Unit	Qty.
153	Workspace - 10 - Senior Auditor - Shared Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10
154	Workspace - 10 - Senior Auditor - Shared Office - Table - Workstation	Custom-made Workstation, overall size approximately 4 ft (L) x 2 ft (D) x 2.5 ft (H), with a matching drawer trolley approximately 20" (L) x 20" (D) x 24" (H) comprising three drawers. The unit shall be fabricated from 16-18 mm thick MDF, with a built-up tabletop of minimum 2" thickness for strength, and all exposed surfaces finished with high-quality tactile sheet, super glass, or melamine sheet with imported PVC edging. The workstation shall include side supports, drawers, shelves, and partitions, with internal frame of imported Peral wood clad in 12 mm MDF and finished as required. All visible portions shall feature CNC detailing, and first-quality hardware fittings (hinges, channels, handles, locks, etc.) shall be provided. Installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	5

S. #	Item	Specifications	Unit	Qty.
155	Workspace - 11 - Junior Auditor - Shared Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	3
156	Workspace - 11 - Junior Auditor - Shared Office - Table - Workstation	Custom-made Workstation, overall size approximately 4 ft (L) × 2 ft (D) × 2.5 ft (H), with a matching drawer trolley approximately 20" (L) × 20" (D) × 24" (H) comprising three drawers. The unit shall be fabricated from 16-18 mm thick MDF, with a built-up tabletop of minimum 2" thickness for strength, and all exposed surfaces finished with high-quality tactile sheet, super glass, or melamine sheet with imported PVC edging. The workstation shall include side supports, drawers, shelves, and partitions, with internal frame of imported Peral wood clad in 12 mm MDF and finished as required. All visible portions shall feature CNC detailing, and first-quality hardware fittings (hinges, channels, handles, locks, etc.) shall be provided. Installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	3
157	Bed - Bedsheets Set (Double)	King Size White Bed Sheet of good quality (Ideas brand or equivalent)	No.	33
158	Bed - Bedsheets Set (Single)	Single Size White Bed Sheet of good quality (Ideas brand or equivalent)	No.	100
159	Bed - Cushions	16×16 inches Cushions of good quality (Ideas brand or equivalent)	No.	28

S. #	Item	Specifications	Unit	Qty.
160	Bed - Mattress (Double)	10-inch Mattress, King Size, Molty brand or equivalent	No.	14
161	Bed - Mattress (Single)	8-inch Mattress, Single Size, Molty brand or equivalent	No.	50
162	Bed - Pillows	Bedroom Pillows of good quality (Ideas brand or equivalent)	No.	78
163	Bed - Blancket (Double)	Double ply blancket for king size bed	No.	14
164	Bed - Blancket (Single)	Double ply blancket for single bed	No.	50
165	Carpet - 10'x12'	Supply of Carpet, approximately 10×12 feet in size.	No.	2
166	Carpet - 7'x10'	Supply of Carpet, approximately 7×10 feet in size.	No.	2
167	Carpet 4'x6'	Supply of Carpet, approximately 4×6 feet in size.	No.	6
168	Dust Bin (Executive)	Supply of Metal Dust Bins, 4-liter capacity.	No.	8
169	Lamp - Floor	Supply and installation of Imported Floor Lamp.	Set	8
170	Lamp - Floor (Lobby)	Supply and installation of Imported Executive Floor Lamp.	No.	6
171	Floor Matt (Executive)	Supply and provision of Executive Floor Mat, made of high-quality nylon or polypropylene pile with non-slip rubber backing	No.	8
172	Painting	Supply and provision of Painting, approximately 20×30 inches, Oil on Canvas.	No.	20

S. #	Item	Specifications	Unit	Qty.
173	Painting	Supply and provision of Painting, approximately 15×20 inches, Oil on Canvas.	No.	24
174	Painting	Supply and provision of Painting, approximately 10×20 inches, in different mediums.	No.	30
175	Painting	Supply and provision of Painting, approximately 6×8 inches, in any medium.	No.	40
176	Quaid Portrait (Painting)	Supply and provision of Quaid-e-Azam Portrait (Oil on Canvas).	No.	3
177	Lamp - Table (Option 1)	Supply and installation of Table Lamp for Executive Bedrooms.	Set	13
178	Lamp - Table (Option 2)	Supply and installation of Table Lamp for Single Bedrooms.	Set	40
179	Wall Clock	Supply and installation of Imported Wall Clock, 18 inches in diameter.	No.	4
180	Wall Clock	Supply and installation of Imported Wall Clock, 12-15 inches in diameter.	No.	4
181	Wall Clock (Lobby)	Supply and installation of Imported Wall Clock, 24 inches in diameter.	No.	3
182	Window - Blind (Executive)	Supply and installation of Zebra-Type Blinds.	ft ²	1,200
183	Window - Curtain	Supply and installation of Double-Layered Curtains for Bedrooms, made of 1st quality velvet and organza fabric, with MS pipes and hooks.	ft ²	2,900

Price Schedule

For Individual Items

#	Item Title	Quantity	Unit Price (PKR)	Total Price (PKR)	Delivery Location	Delivery Period / Year	Country of Origin
1							
2							

For Lots

#	Lot Title	Total Lot Price (PKR)	Country of Origin
1	[Lot 1 Title]		





General Conditions of Contract

A. General

1. Definitions

1.1 Unless the context otherwise requires, the following terms whenever used in this Contract shall have the same meaning and shall be interpreted as indicated

- a. "Applicable Law" means the laws and any other instruments having the force of law in the Government's Country, or in such other country as may be specified in the Special Conditions of the Contract (SC), as they may be issued and in force from time to time;
- b. "Procuring Agency" means:-
 - a. any Ministry, Division, Department or any Office of the Government;
 - b. any authority, corporation, body or organization established by or under a Law or which is owned or controlled by the Government;
- c. "The Contract" means an agreement enforceable by law;
- d. "The Contract Price" means the price payable to the Bidder under the Contract for the full and proper performance of its contractual obligations;
- e. "Ancillary Services" means those services ancillary to the provision of Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Bidder covered under the Contract;
- f. "GCC" means the General Conditions of Contract contained in this section;
- g. "SCC" means the Special Conditions of Contract by which the GCC may be amended or supplemented;
- h. "Day" means calendar day unless indicated otherwise.
- i. "Effective Date" means the date on which this Contract comes into force and effect.
- j. "The Bidder" means the individual or corporate body whose Bids to provide the Goods has been accepted by the Procuring Agency;
- k. "The Project Site," where applicable, means the place or places named in Bids Data Sheet and technical Specifications;
- l. "Government" means the Government of Pakistan;
- m. "Subcontractor" means any entity to which the Bidder subcontracts any part of the Goods.
- n. "Service" means any object of procurement other than goods or works;
- o. "Party" means the Procuring Agency or the Bidder, as the case may be, and "Parties" means both of them;
- p. "Foreign Currency" means any currency other than the currency of the country of the Procuring Agency;

q. "Completion Date" means the date of completion of the contract by the Bidder as certified by the Procuring Agency;

r. "In Writing" means communicated in written form with proof of receipt;

s. "Local Currency" means the currency of Pakistan;

2. Application and Interpretation

2.1 These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.

2.2 In interpreting these Conditions of Contract headings and marginal notes are used for convenience only and shall not affect their interpretations unless specifically stated; references to singular include the plural and vice versa; and masculine include the feminine. Words have their ordinary meaning under the language of the Contract unless specifically defined.

3. Applicable Law

3.1 The contract shall be governed and interpreted in accordance with the laws of Pakistan, unless otherwise specified in SCC.

4. Governing Language

4.1 The Contract as well as all correspondence and documents relating to the Contract exchanged between the Bidder and the Procuring Agency, shall be written in the **English language** unless otherwise stated in the SCC. Supporting documents and printed literature that are part of the Contract may be in another language provided these are accompanied by an accurate translation of the relevant passages in English, in which case, for purposes of interpretation of the Contract, this translation shall govern.

5. Notices

5.1 Any notice, request, or consent made pursuant to this Contract shall be in writing and shall be deemed to have been made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the SCC.

6. Delivery/Location

6.1 The Goods shall be delivered to such locations as the Procuring Agency may approve and as specified in SCC.

7. Authorized Representatives / Authority of Member in charge

7.1 Any action required or permitted to be taken, and any document required or permitted to be executed, under this Contract by the Procuring Agency or the Bidder may be taken or executed by the officials specified in the SCC.

B. Commencement, Completion, Modification, and Termination of Contract

8. Effectiveness of Contract

8.1 This Contract shall come into effect on the date the Contract is signed by both parties and such other later date as may be stated in the SCC.

9. Commencement of Services

9.1 The Bidder shall confirm availability of Key Experts and begin carrying out the Services not later than the number of days after the Effective Date specified in the SCC.

10. Program

10.1 Before commencement of the Services, the Bidder shall submit to the Procuring Agency for approval a Program showing the general methods, arrangements, order and timing for all activities. The Services shall be carried out in accordance with the approved Program as updated.

11. Starting Date/Expiration Date

11.1 The Bidder shall start carrying out the Services Five (05) days after the date the Contract becomes effective, or at such other date as may be specified in the SCC.

11.2 Unless terminated earlier pursuant to Clause **GCC 15** hereof, this Contract shall expire at the end of such time period after the Effective Date as specified in the SCC.

12. Entire Agreement

12.1 This Contract contains all covenants, stipulations and provisions agreed by the Parties. No agent or representative of either Party has authority to make, and the Parties shall not be bound by or be liable for, any statement, representation, promise or agreement not set forth herein.

13. Modification

13.1 Any modification or variation of the terms and conditions of this Contract, including any modification or variation of the scope of the Services, may only be made by written agreement between the Parties. However, each Party shall give due consideration to any Bids for modification or variation made by the other Party.

13.2 In cases of any modifications or variations, the prior written consent of the Procuring Agency is required.

14. Force Majeure

14.1 Definition

For the purposes of this Contract, “Force Majeure” means an event which is beyond the reasonable control of a Party and which makes a Party’s performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances.

14.2 No Breach of Contract

The failure of a Party to fulfill any of its obligations under the contract shall not be considered to be a breach of, or default under, this Contract in so far as such inability arises from an event of Force Majeure, provided that the Party affected by such an event (a) has taken all reasonable precautions, due care and reasonable alternative measures in order to carry out the terms and conditions of this Contract, and (b) has informed the other Party as soon as possible about the occurrence of such an event.

14.3 Extension of Time

Any period within which a Party shall, pursuant to this Contract, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result

of Force Majeure.

14.4 Payments

During the period of their inability to perform the Services as a result of an event of Force Majeure, the Bidder shall be entitled to continue to be paid under the terms of this Contract, as well as to be reimbursed for additional costs reasonably and necessarily incurred by them during such period for the purposes of the Services and in reactivating the Service after the end of such period.

15. Termination

15.1 By the Procuring Agency

The Procuring Agency may terminate this Contract in case of the occurrence of any of the events specified in paragraphs (a) through (e) of this Clause. In such an occurrence the Procuring Agency shall give at least thirty (30) calendar days' written notice of termination to the Bidder in case of the events referred to in (a) through (d); at least sixty (60) calendar days' written notice in case of the event referred to in (e);

- a. If the Bidder fails to remedy a failure in the performance of its obligations hereunder, as specified in a notice of suspension;
- b. If the Bidder becomes (or, if the Bidder consists of more than one entity, if any of its members becomes) insolvent or bankrupt or enter into any agreements with their creditors for relief of debt or take advantage of any law for the benefit of debtors or go into liquidation or receivership whether compulsory or voluntary;
- c. If the Bidder fails to comply with any final decision reached as a result of arbitration proceedings;
- d. If, as the result of Force Majeure, the Bidder is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;
- e. If the Procuring Agency, in its sole discretion and for any reason whatsoever, decides to terminate this Contract;

15.2 By the Bidder

The Bidder may terminate this Contract, by not less than thirty (30) calendar days' written notice to the Procuring Agency, in case of the occurrence of any of the events specified in paragraphs (a) through (d) of this Clause.

- a. If the Procuring Agency fails to pay any money due to the Bidder pursuant to this Contract and not subject to dispute within forty-five (45) calendar days after receiving written notice from the Bidder that such payment is overdue.
- b. If, as the result of Force Majeure, the Bidder is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days.
- c. If the Procuring Agency fails to comply with any final decision reached as a result of arbitration.
- d. If the Procuring Agency is in material breach of its obligations pursuant to this Contract and has not remedied the same within forty-five (45) days (or such longer period as the Bidder may have subsequently approved in writing) following the receipt by the Procuring Agency of the Bidder's notice specifying such breach.

C. Obligations of the Bidder

16. General

16.1 Standard of Performance

1. The Bidder shall deliver the product and carry out the Services with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Bidder shall always act, in respect of any matter relating to this Contract or to the Services, as a faithful adviser to the Procuring Agency, and shall at all times support and safeguard the Procuring Agency's legitimate interests in any dealings with the third parties.

16.2 Law Applicable to Goods

The Bidder shall deliver the goods in accordance with the Contract and in accordance with the Law of Pakistan and shall take all practicable steps to ensure that any of its Experts and Sub-Bidders, comply with the Applicable Law.

17. Conflict of Interests

17.1 Bidder Not to Benefit from Commissions and Discounts.

The remuneration of the Bidder shall constitute the Bidder's sole remuneration in connection with this Contract or the Services, and the Bidder shall not accept for their own benefit any trade commission, discount, or similar payment in connection with activities pursuant to this Contract or to the Services or in the discharge of their obligations under the Contract, and the Bidder shall use their best efforts to ensure that the Personnel, any Subcontractors, and agents of either of them similarly shall not receive any such additional remuneration.

17.2 Bidder and Affiliates Not to be Otherwise Interested in Project

The Bidder agree that, during the term of this Contract and after its termination, the Bidder and its affiliates, as well as any Subcontractor and any of its affiliates, shall be disqualified from providing Goods for any project resulting from or closely related to the Services.

17.3 Prohibition of Conflicting Activities

Neither the Bidder nor its Subcontractors nor the Personnel shall engage, either directly or indirectly, in any of the following activities:

- a. during the term of this Contract, any business or professional activities in the Government's country which would conflict with the activities assigned to them under this Contract;
- b. during the term of this Contract, neither the Bidder nor their Subcontractors shall hire public employees in active duty or on any type of leave, to perform any activity under this Contract;

18. Confidentiality

18.1 Except with the prior written consent of the Procuring Agency, the Bidder and the Experts shall not at any time communicate to any person or entity any confidential information acquired in the course of the contract.

19. Insurance to be Taken Out by the Bidder

19.1 The Bidder(a) shall take out and maintain, and shall cause any Subcontractors to take out and maintain, at its (or the Subcontractors', as the case may be) own cost but on terms and conditions approved by the Procuring Agency, insurance against the risks, loss or damage, and for the coverage, as shall be specified in the SCC; and (b) at the Procuring Agency's request, shall provide evidence to the Procuring Agency showing that such insurance has been taken out and maintained and that the current premiums have been paid.

20. Bidder's Actions Requiring Procuring Agency's Prior Approval

20.1 The Bidder shall obtain the Procuring Agency's prior approval in writing before taking any of the following actions:

- (a) appointing such members of the Personnel not provided by the Bidder;
- (b) changing the Program of activities; and
- (c) any other action that may be specified in the SCC.

21. Reporting Obligations

21.1 The Bidder shall submit to the Procuring Agency the reports and documents in the numbers, and within the periods as prescribed by the Procuring Agency.

22. Liquidated Damages

22.1 If the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the performance security (or guarantee) specified in SCC. Once the said maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to **GCC Clause 15**.

22.2 Correction for Over-payment

If the Intended Completion Date is extended after liquidated damages have been paid, the Procuring Agency shall correct any overpayment of liquidated damages by the Bidder by adjusting the next payment certificate. The Bidder shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in SCC.

22.3 Lack of performance penalty

If the Bidder has not corrected a Defect within the time specified in the Procuring Agency's notice, a penalty for Lack of performance will be paid by the Bidder. The amount to be paid will be calculated as a percentage of the cost of having the Defect corrected, assessed as specified in the SCC.

23. Performance Guarantee

23.1 Within Seven (07) days from the issuance of acceptance letter from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in shape of ----- at the discretion of the PA in the amount **specified in SCC**. In case the amount of Bids security is equal or greater than

23.2 The proceeds of the Performance Guarantee shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

23.3 The Performance Guarantee shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring agency and shall be in the acceptable form as specified in SCC.

23.4 The Performance Guarantee will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC**.

24. Fraud and Corruption

24.1 The Procuring Agency requires the Supplier to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the Bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

25. Sustainable Procurement

25.1 The Bidder shall conform to the sustainable procurement contractual provisions, if and as specified in the SCC.

D. Bidder's Personnel

26. Description of Personnel

26.1 The titles, agreed job descriptions, minimum qualifications, and estimated periods of engagement in the carrying out of the Services of the Bidder's Key Personnel. The Key Personnel listed by title as well as by name are hereby approved by the Procuring Agency.

27. Removal and/or Replacement of Personnel

27.1 Except as the Procuring Agency may otherwise agree, no changes shall be made in the Key Personnel. If, for any reason beyond the reasonable control of the Bidder, it becomes necessary to replace any of the Key Personnel, the Bidder shall provide as a replacement a person of equivalent or better qualifications.

27.2 If the Procuring Agency finds that any of the Personnel have (i) committed serious misconduct or have been charged with having committed a criminal action, or (ii) have reasonable cause to be dissatisfied with the performance of any of the Personnel, then the Bidder shall, at the Procuring Agency's written request specifying the grounds thereof, provide as a replacement a person with qualifications and experience acceptable to the Procuring Agency.

27.3 The Bidder shall have no claim for additional costs arising out of or incidental to any removal and/or replacement of Personnel.

E. Obligations of the Procuring Agency

28. Assistance and Exemptions

28.1 The Procuring Agency shall use its best efforts to ensure that the Government shall provide the Bidder such assistance and exemptions as specified in the SCC.

29. Change in the Applicable Law

29.1 If, after the date of this Contract, there is any change in the Applicable Law with respect to taxes and duties which increases or decreases the cost of the related Services rendered by the Bidder, then the remuneration and reimbursable expenses otherwise payable to the Bidder under this Contract shall be increased or decreased accordingly by agreement between the Parties, and corresponding adjustments shall be made to the amounts referred in the SCC.

30. Services and Facilities

30.1 The Procuring Agency shall make available to the Bidder and the Experts, for the purposes of the Services and free of any charge, the services, facilities and property described , at the times and in the manner specified in the SCC or terms of reference.

30.2 In case that such services, facilities and property shall not be made available to the Bidder, the Parties shall agree on (i) any time extension that it may be appropriate to grant to the Bidder for the performance of the Services, (ii) the manner in which the Bidder shall procure any such services, facilities and property from other sources, and (iii) the additional payments, if any, to be made to the Bidder as a result thereof.

F. Payments to the Bidder

31. Contract Price

31.1 The price payable shall be in Pakistani Rupees unless otherwise specified in the SCC. Prices charged by the Supplier for Goods delivered under the Contract shall not vary from the prices quoted by the Supplier in its Bid.

32. Terms and Conditions of Payment

32.1 Payments will be made to the Bidder according to the payment schedule stated in the SCC and as per actual invoice submitted by the Bidder.

32.2 Unless otherwise stated in the SCC, the advance payment shall be made against the provision by the Bidder of a bank guarantee for the same amount, and shall be valid for the period stated in the SCC. Any other payment shall be made after the conditions listed in the SCC for such payment have been met, and the Bidder have submitted an invoice to the Procuring Agency specifying the amount due.

33. Currency of Payment

33.1 Any payment under this Contract shall be made in the currency(ies) specified in the SCC.

G. Quality Control

34. Identifying Defects

34.1 The principle and modalities of Inspection of the Goods by the Procuring Agency shall be as indicated in the SCC. The Procuring Agency shall check the Bidder's performance and notify him of any Defects that are found. Such checking shall not affect the Bidder's responsibilities. The Procuring Agency may instruct the Bidder to search for a Defect and to uncover and test any service that the Procuring Agency considers may have a Defect. Defect Liability Period is as defined in the SCC.

35. Correction of Defects, and

Lack of Performance Penalty

35.1 The Procuring Agency shall give notice to the Bidder of any Defects before the end of the Contract. The Defects liability period shall be extended for as long as Defects remain to be corrected.

35.2 Every time notice a Defect is given, the Bidder shall correct the notified Defect within the length of time specified by the Procuring Agency's notice.

35.3 If the Bidder has not corrected a Defect within the time specified in the Procuring Agency's notice, the Procuring Agency will assess the cost of having the Defect corrected, the Bidder will pay this amount, and a Penalty for Lack of Performance.

36. Taxes and Duties

36.1 A Supplier shall be entirely responsible for all taxes, duties, fees, etc., incurred until delivery of the contracted Goods to the Procuring Agency.

H. Settlement of Disputes

37. Alternate Dispute Resolution

37.1 The disputes between the parties to the contract may be settled in accordance with Public Procurement Rules, 2004.

37.2 The procuring agency shall refer the matter to the Chief Justice Islamabad High Court or Managing Director PPRA or the Secretary Ministry of Law & Justice for appointment of Arbitrator.

37.3 The fee for the Arbitrator shall be specified in Pak Rupees as determined by the appointing authority which shall be borne and shared equally by the contracting parties.



Special Conditions of Contract

SECTION VIII. SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

Number of GC Clause

Amendments of, and Supplements to, Clauses in the General Conditions of Contract

Number of GC Clause 1

Definitions

The Procuring Agency is: Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.

The Supplier is:

The title of the subject procurement is: Procurement of Furniture & Fixtures for PAAA Islamabad

Number of GC Clause 3

Applicable/Governing Law:

The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan

Number of GC Clause 4

Language:

The language of the Contract, all correspondence and communications to be given, and all other documentation to be prepared and supplied under the Contract shall be in **English**.

Number of GC Clause 5

Notices:

The addresses for the notices are:

Procuring Agency:

Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer

Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.
+92-321-466-9875
nasirashfaq@gmail.com

Contractor/ Bidder:

[Name, address and telephone number].

The Contractor/ Bidder's Representative(s)

[Name, address, telephone number and e-mail address]

Number of GC Clause 7.1

The Authorized Representatives are:

For the Procuring Agency:

Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer

Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.

+92-321-466-9875

nasirashfaq@gmail.com

For the Bidder:

Name:

Designation:

Address:

Number of GC Clause 8

Effectiveness of the contract

Number of GC Clause 9

Commencement of Contract:

Number of GC Clause 11.2

Expiration of Contract:

Number of GC Clause 15

Termination

In the event of termination of the contract due to any reason as already defined in the General Conditions of Contract, the Bidder shall be responsible for providing to the Authority the Goods till the time of alternate arrangements.

Number of GC Clause 17

Conflict of Interest:

The Procuring Agency reserves the right to determine on a case-by-case basis whether the Bidder should be disqualified from providing goods or services due to a conflict of a nature described in Clause GCC 17.

Number of GC Clause 22

Liquidated Damages

If the Bidder fails to provide services as required under the contract or in case of any data loss/data breach or any incident compromising the data security or other such failures related to any services, the Bidder shall pay to the Procuring Agency as Liquidated Damages at a rate of **0.10%** to **10.00%** of the Contract value, in

accordance with the extent of performance failure & the cost of investigating such incidents as judged by the Authority.

Number of GC Clause 23

Performance Guarantee:

The amount of performance guarantee shall be **10.00%** of the contract price in acceptable form of **Pay Order, Bank Guarantee**

Number of GC Clause 32

Payment terms:

Payment will be made to the Bidder against the procured Goods and services according to the actual invoice or running bills submitted by the Bidder against the services provided within the time given in the conditions of the contract.

Number of GC Clause 33

Currency of Payment:

All the payment to be released to the contractor/Bidder shall be in Pakistani Rupees.

Number of GC Clause 34

Identifying Defects:

The Authority reserves the right at any time to inspect the premises of the provider to inspect the goods and monitor the goods being provided.

Inspections & Tests Requirements

For being Brand New, bearing relevant reference numbers of the equipment (Certificate from supplier)

For Physical Fitness having No Damages (Certificate from supplier)

For the Country of Origin as quoted by the Supplier (Certificate from manufacturer)

For conformance to specifications and performance parameters, through Prior to delivery inspection (Inspection Report by Procurement Committee / Inspection Team)

For successful operation at site after complete installation, testing and commissioning of the equipment (Installation, Testing and Commissioning Report by Inspection Team)

Delivery & Documents

Copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;

Copies of the packing list identifying contents of each package;

Manufacturer's or Supplier's Valid Warranty Certificate;

Certificate of Origin.

The above documents would be required even if the equipment has already been imported and is available with the supplier ex-stock

Number of GC Clause 37

Following is the guidance for Dispute Resolution

- i. If any dispute of any kind whatsoever shall arise between the Authority and the Bidder in connection with or arising out of the Contract, including without prejudice to the generality of foregoing, any question regarding its existence, validity, termination and the execution of the Contract – whether during developing phase or after their completion and whether before or after the termination, abandonment or breach of the Contract – the parties shall seek to resolve any such dispute or difference by mutual diligent negotiations in good faith within 14 (fourteen) days following a notice sent by one Party to the other Party in this regard.
- ii. At future of negotiation the dispute shall be resolved through mediation and mediator shall be appointed with the mutual consent of the both parties.
- iii. At the event of failure of mediation to resolve the dispute relating to this contract such dispute shall finally be resolved through binding Arbitration by sole arbitrator in accordance with Arbitration Act 1940. The arbitrator shall be appointed by mutual consent of the both parties. The Arbitration shall take place in Islamabad, Pakistan and proceedings will be conducted in English language.
- iv. The cost of the mediation and arbitration shall be shared by the parties in equal proportion however the both parties shall bear their own costs and lawyer's fees regarding their own participation in the mediation and arbitration. However, the Arbitrator may make an award of costs upon the conclusion of the arbitration making any party to the dispute liable to pay the costs of another party to the dispute.
- v. Arbitration proceedings as mentioned in the above clause regarding resolution of disputes may be commenced prior to, during or after completion of the contract.

Notwithstanding any reference to the arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree that the Authority shall pay the Bidder any monies due to the Bidder.

Rules of procedure for arbitration proceedings:

Any dispute between the Authority and a Bidder who is a national of the Islamic Republic of Pakistan arising in connection with the present Contract shall be referred to adjudication or arbitration in accordance with the laws of the Islamic Republic of Pakistan including Arbitration Act 1940, however above provision shall prevail in referring the case to the Arbitrator.

Place of Arbitration and Award:

The arbitration shall be conducted in English language and place of arbitration shall be at Islamabad. The award of the arbitrator shall be final and shall be binding on the parties.



Bid Securing Declaration

Form 9: Bid Securing Declaration

Date: *[insert date (as day, month and year)]*

Bid No.: **P118837**

To: **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.**

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

1. have withdrawn or modified our Bid during the period of Bid Validity specified in the Form of Bid;
2. Disagreement to arithmetical correction made to the Bid price; or
3. having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid Validity, (i) failure to sign the contract if required by Procuring Agency to do so or (ii) fail or refuse to furnish the Performance Security or to comply with any other condition precedent to signing the contract specified in the Bidding Documents.

We understand this Bid Securing Declaration shall expire if we are not the successful

Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight (28) days after the expiration of our Bid.



Contract Form

SECTION IX: CONTRACT FORMS

THIS AGREEMENT made the ____ day of _____ 20____ between **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.**

(hereinafter called “the Procuring Agency”) of the one part and [name of Bidder] of [city and country of Bidder] (hereinafter called “the Bidder”) of the other part:

WHEREAS the Procuring Agency invited Bids for provision of goods, viz., **Procurement of Furniture & Fixtures for PAAA Islamabad (P118837)** and has accepted a Bids by the Bidder for the provision of Goods in the sum of [contract price in words and figures] (hereinafter called “the Contract Price”).

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Contract words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Contract, In the event of any ambiguity or conflict between the Contract Documents listed below, the order of precedence shall be the order in which the Contract Documents are listed below:-

1. This form of Contract;
2. the Form of Bids and the Price Schedule submitted by the Bidder;
3. the Schedule of Requirements;
4. the Technical Specifications;
5. the Special Conditions of Contract;
6. the General Conditions of the Contract;
7. the Procuring Agency’s Letter of Acceptance; and
8. [add here: any other documents]

3. In consideration of the payments to be made by the Procuring Agency to the Bidder as hereinafter mentioned, the Bidder hereby covenants with the Procuring Agency to provide the Goods related services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Bidder in consideration of the provision of Goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Contract to be executed in accordance with their respective laws the day and year first above written.


Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Procuring Agency:

.....

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Bidder:





Integrity Pact

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS.10.00 MILLION OR MORE

Contract

Number: Contract

Value: Contract Title:

Dated:

[Name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Pakistan or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoP) through any corrupt business practice.

Without limiting the generality of the foregoing [Name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fee etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultations fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP, except that which has been expressly declared pursuant hereto.

[Name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoP and has not taken any action or will not take any action to circumvent the above declaration, representative or warranty.

[Name of Supplier] accepts full responsibility and strict liability for making and false declaration, not making full disclosure, misrepresenting fact or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to GoP under any law, contract or other instrument, be voidable at the option of GoP.

Notwithstanding any rights and remedies exercised by GoP in this regard, [Name of Supplier] agrees to indemnify GoP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoP in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [Name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP.



Performance Guarantee Form

Performance Guarantee Form

To: **Pakistan Audit and Accounts Academy, Lahore (Department of the Auditor-General of Pakistan), Audit Officer Pakistan Audit and Accounts Academy, US Aid Building, Gurumangat Road Gulberg-III, Lahore, Punjab.**

WHEREAS *[name of Bidder]* (hereinafter called “the Bidder”) has undertaken, in pursuance of Contract No. *[reference number of the contract]* dated *[insert date]* for provision of Goods (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Bidder shall furnish you with a Bank Guarantee by a reputable bank for the sum specified therein as security for compliance with the Bidder’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Bidders guarantee:

THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Bidder, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Bidder to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the: *[insert date]*


Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]





Annexure

List of items with specifications

Information (Read-Only)

See Form Under Additional Forms and Documents: **List of items with specifications** (page number: 138)

Sample Requirement

Information (Read-Only)

See Form Under Additional Forms and Documents: **Sample Requirement** (page number: 191)





Procurement Forms

Past Experience and Completed Contracts

See Form Under Additional Forms and Documents: **Past Experience and Completed Contracts** (page number: 192)

Historical Contract Non-Performance, and Pending Litigation and Litigation History

See Form Under Additional Forms and Documents: **Historical Contract Non-Performance, and Pending Litigation and Litigation History** (page number: 193)

Financial Capacity and Net Worth Evaluation Form

See Form Under Additional Forms and Documents: **Financial Capacity and Net Worth Evaluation Form** (page number: 195)

Average Annual Turnover

See Form Under Additional Forms and Documents: **Average Annual Turnover** (page number: 197)





Additional Forms and Documents

S. #	Item	Specifications	Unit	Qty.
1	Classroom - Chair- Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	244
2	Classroom - Desk (Double)	Custom-made classroom desk, overall size approximately 6 ft (L) x 2 ft (D) x 2.5 ft (H), fabricated with either a sturdy base/frame of 2" x 1" 18-gauge MS prime pipe, powder-coated in approved colour, or solid seasoned Sheesham wood as approved. The desktop shall be made of MDF/HDF (Alnoor or equivalent) finished with tactile melamine sheet, imported paper sheet, or polished veneer as approved, with imported PVC machine edging on all exposed sides and overall finished with customized CNC work. The desk shall include a front modesty panel, a cable hole cover, and integrated power provision comprising a multi-socket outlet with one-meter flexible wire enclosed in protective conduit for proper cable management. All hardware shall be first-quality. Installation shall ensure level, stable placement, proper alignment, and completeness with all necessary fittings and accessories.	No.	2

3	Classroom - Desk (Single)	Custom-made classroom desk, overall size approximately 3 ft (L) x 2 ft (D) x 2.5 ft (H), fabricated with either a sturdy base/frame of 2" x 1" 18-gauge MS prime pipe, powder-coated in approved color, or solid seasoned Sheesham wood as approved. The desktop shall be made of MDF/HDF (Alnoor or equivalent) finished with tactile melamine sheet, imported paper sheet, or polished veneer as approved, with imported PVC machine edging on all exposed sides and overall finished with customized CNC work. The desk shall include a front modesty panel, a cable hole cover, and integrated power provision comprising a multi-socket outlet with one-meter flexible wire enclosed in protective conduit for proper cable management. All hardware shall be first-quality. Installation shall ensure level, stable placement, proper alignment, and completeness with all necessary fittings and accessories.	No.	244
4	Classroom - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	8
5	Classroom - Whiteboard	Custom-made whiteboard, overall size approximately 8 ft (L) x 4 ft (H), featuring a high-quality dry-erase surface suitable for markers. Edges shall be finished with anodized or powder-coated aluminium channels, including integrated marker tray(s) at the bottom. The whiteboard shall be securely wall-mounted using appropriate fasteners, ensuring level alignment, stability, and safe usage. All components shall be of first quality, complete with all necessary fittings and accessories.	No.	2

6	Common Area - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	30
7	Common Area - Reception - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	3
8	Common Area - Reception - Counter	Custom-made reception counter, overall size approximately 10 ft (L) x 2 ft (D) x 3 ft (H), featuring dual working heights of 30" and 36". The countertop shall be a single-piece 14–16 mm thick Emperador Spanish marble or 12 mm thick Corian, supported underneath with HDX sheet for structural strength. The sides and body shall be fabricated from MDF (Alnoor brand or equivalent), finished with first-quality deco paint or tactile sheet as approved. The counter shall include two drawers on each side, with a central shelf and partition, all fitted with first-quality hardware (hinges, drawer channels, handles, locks, etc.). The front façade shall feature a prominently displayed logo with integrated rope lighting. Installation shall ensure level alignment, stability, and completeness with all fittings and accessories.	No.	1

9	Common Area - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	48
10	Common Area - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	48
11	Common Area - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	3
12	Common Area - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	6

13	Common Area - Table - Centre (Option 1)	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	2
14	Common Area - Table - Centre (Option 2)	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	10
15	Common Area - Table - Coffee (Option 1)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4

16	Common Area - Table - Coffee (Option 2)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	20
17	Common Area - Table - Console (Option 1)	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Ashwood Veneer And solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	2
18	Common Area - Table - Console (Option 2)	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and structural stability. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). Installation shall ensure stability, proper alignment, and completeness with all necessary fittings and accessories.	No.	2
19	Hostel - Room - Bed - Double	Custom-made King Double Bed, made of seasoned Sheesham wood, including headboard, footboard, 1.5" thick side supports, and sturdy legs, finished in natural polish. The bed shall include 1st quality multi-foam padding on the headboard, upholstered in imported leatherette (Rs. 2000+/meter or yard). Inner supports shall be made of HDX sheet with first-quality hardware, ensuring structural stability and durability. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	13

20	Hostel - Room - Bed - Single	Custom-made Single Bed, made of seasoned Sheesham wood, including headboard, footboard, 1.5" thick side supports, and sturdy legs, finished in natural polish. The bed shall include 1st quality multi-foam padding on the headboard, upholstered in imported leatherette (Rs. 2000+/meter or yard). Inner supports shall be made of HDX sheet with first-quality hardware, ensuring structural stability and durability. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	40
21	Hostel - Room - Chair - Dining	Custom-made Wooden Dining Chair, with legs, frame, and backrest fabricated from seasoned Sheesham wood, finished in natural polish. The seat shall include first-quality multi-foam padding, upholstered in high quality leatherette. All joints and connections shall be durable, ensuring structural stability and suitability for continuous use. The chair shall be ergonomically proportioned for adult comfort and complete with all necessary fittings and accessories.	No.	52
22	Hostel -Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	53
23	Hostel - Room - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	2

24	Hostel - Room - Rack - Luggage	Custom-made Luggage Rack, overall size approximately 42" (L) × 18" (D) × 18" (H), fabricated with MDF/HDF finished in Alnoor brand or equivalent tactile sheet with imported PVC edging on all exposed sides. The unit shall include two front drawers with first-quality hardware. Legs shall be made of custom-shaped seasoned Sheesham wood, finished in natural polish. The top shall be reinforced with 1.5" wide, 4–6 mm thick stainless steel bars (approx. 36" long) for durability, and fitted with a U-shaped structure made of 1" square, 18-gauge stainless steel pipe for holding luggage securely. All components shall be robust, properly assembled, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	13
25	Hostel - Room - Setty	Custom-made Setty, overall size approximately 60" (L) × 15" (D) × 18" (H), fabricated for bedroom use with a robust structure made of seasoned Keekar wood. The seat, sides, front, and back shall have first-quality multi-foam padding, upholstered in imported leatherette (Rs. 2000+/yard). Legs shall be made of seasoned Sheesham wood, finished in natural polish. All components shall be durable, properly assembled, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	13
26	Hostel - Room - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

27	Hostel - Room - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	13
28	Hostel - Room - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
29	Hostel -Room - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	66
30	Hostel - Room - Table - Bed Side Table (Option 1)	Custom-made Bedside Table, overall size approximately 2' (L) x 1.5' (D) x 2' (H), fabricated from seasoned Sheesham wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include one or two drawers, fitted with first-quality hardware (handles, sliders, locks, etc.), and a smooth, polished top surface. All edges shall be finished neatly, and the table shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	26

31	Hostel - Room - Table - Bed Side Table (Option 2)	Custom-made Bedside Table (Single Room, Option 2), overall size approximately 2' (L) x 1.5' (D) x 2' (H), fabricated with a sturdy MDF/HDF sheet body (Alnoor or equivalent) and supported on a powder-coated metal frame for durability and modern aesthetics. The table shall include one or two drawers, fitted with first-quality hardware (handles, sliders, locks, etc.). The tabletop shall be finished with premium laminate or tactile/super glass sheet as approved, with neatly trimmed PVC edging on all exposed sides. The unit shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	40
32	Hostel - Room - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	13
33	Hostel - Room - Table - Coffee (Option 1)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	26

34	Hostel - Room - Table - Coffee (Option 2)	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	40
35	Hostel - Room - Table - Study (Option 1)	Custom-made study table, overall size approximately 4' (L) x 2' (D) x 2.5' (H), fabricated from premium MDF/HDF (Alnoor or equivalent) with all exposed surfaces veneered in Sheesham wood for aesthetics. The tabletop shall be built-up with minimum 2" overall thickness, polished for durability and appearance. The table shall include one drawer and one open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). Legs and supporting frame shall be robust and finished with natural polish on exposed parts. The unit shall be sturdy, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	13
36	Hostel - Room - Table - Study (Option 2)	Custom-made study table, overall size approximately 3' (L) x 2' (D) x 2.5' (H), fabricated with MDF/HDF sheet (Alnoor or equivalent) and supported on a powder-coated metal frame for structural stability and durability. The tabletop and exposed surfaces shall be finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved, with imported PVC edging on all edges. The table shall include one drawer and an open shelf, fitted with first-quality hardware (handles, sliders, locks, etc.). The unit shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	40

37	Hostel - Room - Table -Dining for 4	Custom-made Dining Table, overall size approximately 3.5 ft (L) × 3.5 ft (D) × 2.5 ft (H), suitable for 4 persons. The table shall be fabricated with a sturdy frame, either from 18-gauge mild steel (MS) square pipe, powder-coated with high-quality durable paint, or alternatively from solid seasoned Sheesham wood as approved. The tabletop shall be made of 14–16 mm thick marble slab or high-quality MDF/HDF sheet finished with laminate/veneer as approved, supported underneath with HDX sheet for structural strength. All components shall be fitted with first-quality hardware, ensuring stability, proper alignment, and long-lasting performance. The unit shall be complete with all necessary fittings and accessories.	No.	13
38	Library cum Workshop Hall - Cabinet	Custom-made Library Cabinet with Glass Shutters, overall size approximately 4' (L) × 8' (H) × 1.5' (D) (dimensions can be adjusted on-site as required). The cabinet shall be fabricated from 32 mm thick MDF/HDF (Alnoor or equivalent) for the structure, finished with high-quality tactile sheet or laminate, with imported PVC machine edging on all exposed sides. The cabinet shall include 3–4 adjustable or fixed shelves forming 4–5 compartments, with the front fitted with clear or frosted glass shutters in aluminium or powder-coated frame. All components shall be supported with first-quality hardware (hinges, handles, channels, locks as required). The unit may be wall-mounted or floor-supported as per site conditions and PMU instructions. Installation shall ensure level alignment, stability, and safe usage, complete with all necessary fittings and accessories.	ft ²	600
39	Library cum Workshop Hall - Chair -Static - Wooden (Library Chair)	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	76

40	Library cum Workshop Hall - Flipchart Board/Stand	Custom-made Flipchart Board with Stand, overall size approximately 36" x 24" (writing surface), mounted on a sturdy adjustable tripod or four-leg metallic stand. The board surface shall be high-quality, suitable for dry-erase markers, with smooth erasable finish. The edges shall be protected with anodised or powder-coated aluminium channels for durability. The stand shall include adjustable height mechanism to suit seated or standing use and a marker tray at the bottom. All components shall be first-quality, robust, and stable, ensuring safe usage and long-lasting performance, complete with all necessary fittings and accessories.	No.	1
41	Library cum Workshop Hall - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1
42	Library cum Workshop Hall - Rack	Custom-made Library Rack, overall size approximately 4' (L) x 8' (H) x 1.5' (D), comprising a sturdy metallic frame made of 1" x 1" square, 16–18-gauge powder-coated steel for structural stability. Shelves shall be fabricated from 32mm thick MDF/HDF (Alnoor brand or equivalent) finished with high-quality tactile sheet or super glass sheet and imported PVC machine edging on all exposed sides. The unit shall include 4–5 fixed shelves spaced evenly to form multiple compartments suitable for heavy books and reference materials. All components shall be supported with first-quality hardware and fasteners. The rack may be free-standing or wall-fixed as required, and installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	ft ²	1,600

43	Library cum Workshop Hall - Reception - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
44	Library cum Workshop Hall - Reception - Counter	Custom-made Reception Counter, overall size approximately 6' (L) × 2' (D) × 3' (H), designed with double working heights of 30" and 36" respectively. The countertop shall be made of a single-piece 14–16mm thick Emperador Spanish marble or 12mm thick Corian, supported with HDX sheet underneath for structural strength. The sides and body shall be fabricated from MDF/HDF sheet, finished with first-quality deco paint or Alnoor brand (or equivalent) tactile sheet as approved. The counter shall include two drawers on each side, along with a central shelf and partition, complete with first-quality hardware fittings (hinges, channels, handles, locks, etc.). The front façade shall feature a prominently displayed logo with integrated rope lighting. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
45	Library cum Workshop Hall - Table	Custom-made Study Table, overall size approximately 8" (L) × 3.5" (D) × 2.5" (H), suitable for 8 persons. The table shall be fabricated with a sturdy base and frame made of 1" × 3" 18-gauge mild steel (MS) pipe, powder-coated with first-quality paint for durability. The tabletop shall be 32mm thick MDF finished with Alnoor brand or equivalent tactile sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall be robust, suitable for continuous use, and complete with all necessary fittings and accessories.	No.	8

46	Lobby - Main - Chair - Static	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	8
47	Lobby - Main - Table - Coffee	Custom-made Coffee Table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required), featuring a slightly bulky and elegant profile with a sturdy structure for long-term durability and stability. The tabletop shall be made of MDF/HDF finished with premium Sheesham veneer and polished for a refined appearance, while the base and frame shall be robustly constructed to withstand continuous use. All exposed parts shall be finished to a high standard with smooth edges and fine detailing, maintaining a cohesive aesthetic. The unit shall include strong joinery and first-quality fittings where applicable, and installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	4
48	Lobby - Main - Table - Console	Custom-made console table, overall size approximately 6 ft (L) x 1.5 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Mahogany Veneer and solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	4

49	Meeting Area - Conference Hall + Lounge - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	24
50	Meeting Area - Conference Hall + Lounge - Chair - Revolving - Executive	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
51	Meeting Area - Conference Hall + Lounge - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	14

52	Meeting Area - Conference Hall + Lounge - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1
53	Meeting Area - Conference Hall + Lounge - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
54	Meeting Area - Conference Hall + Lounge - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	3
55	Meeting Area - Conference Hall + Lounge - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1

56	Meeting Area - Conference Hall + Lounge - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
57	Meeting Area - Conference Hall + Lounge - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1
58	Meeting Area - Conference Hall + Lounge - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	13

59	Meeting Area - Conference Hall + Lounge - Table - Console	Custom-made Console, overall size approximately 8 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality MDF/HDF (Alnoor or equivalent) finished with premium veneer, laminate, or tactile sheet as approved. The unit shall comprise closed storage only, including drawers and hinged shutters (cabinets) as required. Provision for concealed cable management shall be included, with internal routing for power and data connections, along with ventilation slots where necessary. All hardware (hinges, channels, handles, locks, etc.) shall be first quality. The console shall be robust, neatly finished with precise alignment, and securely installed ensuring stability, durability, and completeness with all necessary fittings and accessories.	No.	1
60	Meeting Area - Conference Hall + Lounge - Table - Meeting	Custom-made Conference Table, overall size approximately 32 ft (L) × 6 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16–18 mm thick MDF/HDF with premium veneer finish as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with high-quality moulding in solid wood as approved. The base shall be robustly constructed from MDF/HDF with matching veneer finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 24+1 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	1

61	Meeting Area - Meeting Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	24
62	Meeting Area - Meeting Room - Chair - Revolving - Executive	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests may be adjustable. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	2
63	Meeting Area - Meeting Room - Chair - Static - Wooden	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	24

64	Meeting Area - Meeting Room - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	12
65	Meeting Area - Meeting Room - Table - Meeting	Custom-made Meeting Table, overall size approximately 16 ft (L) x 4 ft (D) x 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16–18 mm thick MDF/HDF with premium veneer finish as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with high-quality solid wood moulding as approved. The base shall be robustly constructed from MDF/HDF with matching veneer finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 12+1 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	2
66	Meeting Area - Syndicate Room - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	36

67	Meeting Area - Syndicate Room - Table - Meeting	Custom-made Meeting Table, overall size approximately 14 ft (L) × 4 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required), fabricated from 16–18 mm thick MDF/HDF finished with high-quality tactile/laminate sheet as approved, featuring a built-up tabletop with minimum 2.75" overall thickness for a solid and substantial appearance. The edges shall be finished with imported PVC machine edging or solid wood moulding as approved. The base shall be robustly constructed from MDF/HDF with matching sheet finish, ensuring structural stability for large-span use. The table shall include integrated cable management system with multiple technology boxes, 10 cable access points, and concealed routing for power, data, and AV connections, along with leatherette inlays at designated positions as required. All materials, finishes, and hardware shall be of first quality, and installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	3
68	Mess - Dining Hall - Chair - Dining	Custom-made Wooden Dining Chair, with legs, frame, and backrest fabricated from seasoned Sheesham wood, finished in natural polish. The seat shall include first-quality multi-foam padding, upholstered in high quality leatherette. All joints and connections shall be durable, ensuring structural stability and suitability for continuous use. The chair shall be ergonomically proportioned for adult comfort and complete with all necessary fittings and accessories.	No.	80
69	Mess - Dining Hall - Podium	Custom-made podium, overall size approximately 4 ft (H) x 2 ft (W) x 18 in (D) minimum (to be confirmed on-site), fabricated from seasoned Sheesham wood with solid construction. The podium shall include a sturdy base, side panels, and top, all finished in high-quality natural polish for durability and aesthetics and with customized CNC work. The front panel shall feature a prominently displayed wooden engraved logo. All components shall be fitted with first-quality hardware where applicable. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary fittings and accessories.	No.	1

70	Mess - Dining Hall - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall minimum size approximately 3 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4
71	Mess - Dining Hall - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4
72	Mess - Dining Hall - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	4
73	Mess - Dining Hall - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	4

74	Mess - Dining Hall - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a durable metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour. The tabletop shall be made of MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be robust, stable, and suitable for frequent use, complete with first-quality joinery, fittings, and accessories for long-lasting performance.	No.	4
75	Mess - Dining Hall - Table - Dining	Custom-made Circular Dining Table, overall size approximately 4 ft diameter x 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14–16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	2
76	Mess - Dining Hall - Table - Dining	Custom-made Dining Table, overall size approximately 2.5 ft (L) x 2.5 ft (D) x 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14–16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	8
77	Mess - Dining Hall - Table - Dining	Custom-made Dining Table, overall size approximately 5 ft (L) x 2.5 ft (D) x 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14–16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	16

78	Mess - Dining Hall - Table - Service	Custom-made Dining Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), fabricated with a robust frame made of 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. The tabletop shall be made of 14–16 mm thick marble slab, supported underneath with HDX sheet for structural strength, and securely fixed with first-quality hardware. The table shall ensure stability, ease of maintenance, and long-term durability, complete with all necessary fittings and accessories.	No.	10
79	Prayer Area - Masjid - Mimbar	Custom-made Mimbar, overall size approximately 3 ft (L) × 1.5 ft (D) × 4 ft (H) (dimensions can be adjusted on-site as required), fabricated from premium Sheesham wood with solid construction for durability and stability. The unit shall include a small raised platform with 1–2 steps, a sloped reading surface for the Quran, and side panels for support. All exposed parts shall be finished with natural polish for a neat and elegant appearance. The Mimbar shall be robust, suitable for regular use, and complete with first-quality joinery and fittings. Installation shall ensure stability, proper alignment, and safe usage, complete with all necessary accessories.	No.	1
80	Premises Wise - Chair - Mettalic + Upholstered - Outdoor	Custom-made Outdoor Chair, with a sturdy frame constructed from 1" diameter, 18-gauge mild steel pipe, powder-coated with first-quality paint for durability and weather resistance. The seat and backrest shall be upholstered with PVC or high-quality waterproof fabric suitable for outdoor use. All joints and connections shall be properly welded and finished to ensure long-term stability and safe usage, complete with all necessary fittings and accessories.	No.	16
81	Premises Wise - Seating Bench - Concrete - Outdoor	Custom-made 3-Seater Concrete Bench, finished with durable, weather-resistant paint suitable for outdoor exposure, ensuring long-lasting protection against sun, rain, and environmental elements.	No.	20
82	Premises Wise - Seating Bench - Wooden - Outdoor	Custom-made Wooden Outdoor Double Bench, fabricated from seasoned Sheesham wood with all exposed parts finished in natural polish. The bench shall be robust and suitable for continuous outdoor use, complete with first-quality joinery and hardware, ensuring stability, durability, and long-term performance.	No.	6

83	Premises Wise - Seating Bench - Wooden + Mettalic	Custom-made Seating Bench, overall size approximately 78" (L) × 20" (D) × 18" (H), with base and back constructed from 1" × 3", 18-gauge mild steel pipe, powder-coated with first-quality paint for durability. Solid seasoned Sheesham wood slats shall be fixed on the seat and backrest, finished in natural polish. The bench shall be robust, stable, and suitable for continuous use, complete with all necessary fittings and accessories.	No.	20
84	Premises Wise - Table - Wooden - Outdoor	Custom-made Wooden Outdoor Table, overall size approximately as required (typical 4 ft × 2.5 ft × 2.5 ft H), fabricated from seasoned Sheesham wood or equivalent durable hardwood for all exposed parts, finished with weather-resistant natural polish. The table shall include sturdy legs and supports to ensure stability on uneven surfaces. All joints and connections shall be reinforced for long-term durability under outdoor conditions. Installation shall ensure proper alignment, stability, and completeness with all necessary fittings and accessories.	No.	4
85	Workspace - 01 - Rector - Lobby - Table - Console	Custom-made console table, overall size approximately 6 ft (L) × 1.5 ft (D) × 2.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated from premium Ashwood Veneer And solid wood on all exposed parts, with sturdy construction ensuring durability and stability. The unit shall include two drawers and an open shelf for storage, fitted with first-quality hardware (handles, sliders, locks, etc.). All surfaces shall be polished to a high-quality finish for aesthetics and protection. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1

86	Workspace - 01 - Rector - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF) with premium natural veneer finish (oak or equivalent) as approved, polished in high-quality clear or stain finish, with high quality edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
87	Workspace - 01 - Rector - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

88	Workspace - 01 - Rector - Office - Chair - Static	Custom-made premium static wooden chair with armrests, fabricated from high-quality seasoned Sheesham wood with a rich natural polish finish, featuring a slightly heavier and more refined profile for an executive appearance. The chair shall include high-density multi-foam padding on the seat and backrest, ergonomically shaped for enhanced comfort, and upholstered in premium-quality leatherette. All exposed wooden elements shall be finely finished with smooth edges and superior craftsmanship. The structure shall incorporate reinforced joinery for added strength and long-term durability. The chair shall be robust, aesthetically refined, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2
89	Workspace - 01 - Rector - Office - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3.25 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, clean-line design. The seat and back shall incorporate high-density, multi-layered foam with a soft top layer for enhanced comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	4

90	Workspace - 01 - Rector - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant profile. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The sofa shall be robust, comfortable, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
91	Workspace - 01 - Rector - Office - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall size approximately 7.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant design. The seat and back shall incorporate high-density, multi-layered foam with superior cushioning for extended comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
92	Workspace - 01 - Rector - Office - Sofa Chair	Custom-made premium sofa chair, slightly more substantial in form, with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs, armrests, and edges, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant appearance. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The chair shall be durable, comfortable, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2

93	Workspace - 01 - Rector - Office - Table - Centre	Custom-made Centre Table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-term durability.	No.	1
94	Workspace - 01 - Rector - Office - Table - Coffee	Custom-made Coffee Table, overall size approximately 2 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a refined and cohesive appearance. The table shall be sturdy, well-balanced, and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4
95	Workspace - 01 - Rector - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 8 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality MDF with premium natural veneer finish (oak or equivalent) as approved, polished for a rich and elegant appearance, with imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1

96	Workspace - 01 - Rector - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 8 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick MDF with premium natural veneer finish (oak or equivalent) as approved. The tabletop shall be built-up MDF with minimum 2.75" overall thickness, finished with matching veneer polish and imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC detailing on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1
97	Workspace - 01 - Rector - Retiring Room - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3.25 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, clean-line design. The seat and back shall incorporate high-density, multi-layered foam with a soft top layer for enhanced comfort. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with fine stitching and finishing. The sofa shall be robust, ergonomically designed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	2

98	Workspace - 01 - Rector - Retiring Room - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5.5 ft (W) × 3 ft (D) × 3 ft (H), with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs and armrests, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant profile. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The sofa shall be robust, comfortable, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1
99	Workspace - 01 - Rector - Retiring Room - Sofa - Recliner - 1-Seater	Imported Single-Seater Recliner Chair, designed for premium executive comfort, featuring a sturdy internal frame with high-quality cushioning using multi-layered, high-density foam for superior seating experience. The chair shall include a smooth reclining mechanism (manual or motorized as approved) with adjustable backrest and integrated footrest for full-body support. Upholstery shall be in premium imported leatherette (minimum Rs. 3000+/yard), genuine leather, or high-quality fabric as approved, with refined stitching and finishing. The armrests shall be well-padded, and the overall form shall be ergonomically designed for extended use. The base structure shall be stable and durable, suitable for continuous use in executive environments, complete with all necessary fittings and accessories.	No.	1

100	Workspace - 01 - Rector - Retiring Room - Sofa Chair	Custom-made premium sofa chair, slightly more substantial in form, with a heavy-duty internal frame fabricated from well-seasoned hardwood (Keekar or equivalent) with reinforced joinery. All exposed parts, including legs, armrests, and edges, shall be made of premium-grade seasoned Sheesham wood, finished in high-quality natural polish with a modern, elegant appearance. The seat and back shall incorporate high-density, multi-layered foam with enhanced cushioning. Upholstery shall be in premium imported leatherette (minimum Rs. 2500+/yard) or high-quality fabric as approved, with refined stitching and detailing. The chair shall be durable, comfortable, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2
101	Workspace - 01 - Rector - Retiring Room - Table - Centre	Custom-made Centre Table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required), fabricated with a high-quality seasoned Sheesham wood frame and legs. The tabletop shall be made of durable MDF/HDF finished with premium natural veneer (oak or equivalent) as approved, polished in high-quality clear or stain finish for aesthetics and protection. All exposed wooden elements shall be finely finished to ensure a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-term durability.	No.	1
102	Workspace - 01 - Rector - Retiring Room - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	2

103	Workspace - 02 - Director General - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF), finished with high-quality tactile sheet, super glass sheet, or melamine sheet as approved, with imported PVC edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
104	Workspace - 02 - Director General - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty, chrome-finished or powder-coated five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests shall be padded and may be fixed or adjustable as per design. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	1

105	Workspace - 02 - Director General - Office - Chair - Static	Custom-made premium static wooden chair with armrests, fabricated from high-quality seasoned Sheesham wood with a rich natural polish finish, featuring a slightly heavier and more refined profile for an executive appearance. The chair shall include high-density multi-foam padding on the seat and backrest, ergonomically shaped for enhanced comfort, and upholstered in premium-quality leatherette. All exposed wooden elements shall be finely finished with smooth edges and superior craftsmanship. The structure shall incorporate reinforced joinery for added strength and long-term durability. The chair shall be robust, aesthetically refined, and suitable for continuous executive use, complete with all necessary fittings and accessories.	No.	2
106	Workspace - 02 - Director General - Office - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
107	Workspace - 02 - Director General - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1

108	Workspace - 02 - Director General - Office - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
109	Workspace - 02 - Director General - Office - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
110	Workspace - 02 - Director General - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1
111	Workspace - 02 - Director General - Office - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	4

112	Workspace - 02 - Director General - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 7 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from high-quality Medium Density Fibreboard (MDF) with built-up structure, finished with tactile sheet, super glass sheet, or melamine sheet as approved, and imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	1
113	Workspace - 02 - Director General - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 7 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2.75" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1
114	Workspace - 02 - Director General - Retiring Room - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2

115	Workspace - 02 - Director General - Retiring Room - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1
116	Workspace - 02 - Director General - Retiring Room - Sofa Chair	Custom-made sofa chair, with a sturdy frame fabricated from seasoned Keekar wood. All exposed parts, including legs, armrests, and edges, shall be made of seasoned Sheesham wood, finished in natural polish. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
117	Workspace - 02 - Director General - Retiring Room - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) × 2 ft (D) × 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	1

118	Workspace - 03 - Director - Office - Cabinet	Custom-made Executive Storage Cabinet, overall size approximately 4 ft (L) × 6 ft (H) × 1.5 ft (D), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF), finished with high-quality tactile sheet, super glass sheet, or melamine sheet as approved, with imported PVC edging on all exposed sides. The cabinet shall include fully closing shutters and internal shelves of varying sizes to accommodate files and office storage requirements. CNC detailing shall be provided on visible front portions as per approved design. All hardware (hinges, channels, handles, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	5
119	Workspace - 03 - Director - Office - Chair - Revolving	Imported Executive Revolving Chair, featuring a premium ergonomic design with a high backrest, upholstered in high-quality leatherette or genuine leather as approved, with high-density foam cushioning on seat and back for superior comfort. The chair shall include an adjustable headrest, reclining backrest with tilt-lock mechanism, integrated lumbar support, and a multi-functional multi-lever system for independent adjustment of seat height and back angle. The base shall be heavy-duty five-star configuration, fitted with durable caster wheels for smooth mobility. Armrests may be adjustable. All components shall be of first quality, robustly constructed, and suitable for executive use, complete with all necessary fittings and accessories.	No.	5
120	Workspace - 03 - Director - Office - Chair - Static	Custom-made static wooden chair with armrests, fabricated from seasoned Sheesham wood with a natural polish finish. The chair shall feature high-quality multi-foam padding on the seat and backrest, upholstered in first-quality leatherette. All joints and connections shall be sturdy and properly assembled, ensuring durability and suitability for continuous use, complete with all necessary fittings and accessories.	No.	10

121	Workspace - 03 - Director - Office - Sofa - 1-Seater	Custom-made 1-seater sofa, minimum overall size approximately 3 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	10
122	Workspace - 03 - Director - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall size approximately 5 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy internal frame fabricated from seasoned Keekar wood. All exposed structural elements, including legs, armrests, and lower front apron, shall be crafted from seasoned Sheesham wood, finished in natural polish for a cohesive and elegant appearance. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	5
123	Workspace - 03 - Director - Office - Sofa - 3-Seater	Custom-made 3-seater sofa, minimum overall minimum size approximately 7 ft (W) × 3 ft (D) × 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1

124	Workspace - 03 - Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive, elegant look. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	5
125	Workspace - 03 - Director - Office - Table - Coffee	Custom-made coffee table, overall size approximately 2 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions can be adjusted on-site as required). The table shall be fabricated with a high-quality Sheesham wood frame and legs, while the tabletop shall be made of durable MDF/HDF finished with premium Sheesham veneer and polished for aesthetics and protection. All exposed parts shall feature Sheesham wood for a cohesive and elegant appearance. The table shall be robust and suitable for continuous use, complete with first-quality joinery and fittings, ensuring stability, proper alignment, and long-lasting performance.	No.	20
126	Workspace - 03 - Director - Office - Table - Credenza	Custom-made Executive Credenza, overall size approximately 7 ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from high-quality Medium Density Fibreboard (MDF) with built-up structure, finished with tactile sheet, super glass sheet, or melamine sheet as approved, and imported PVC edging on all exposed sides. The unit shall include four drawers and four cabinets, with CNC detailing on visible front portions for aesthetics. All hardware (drawer channels, handles, hinges, locks, etc.) shall be first-quality. Installation shall ensure level alignment, stability, and completeness with all necessary fittings and accessories.	No.	5

127	Workspace - 03 - Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 7 ft (L) × 3.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 6 ft (L) × 1.9 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2.5" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	5
128	Workspace - 04 - Deputy Director - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
129	Workspace - 04 - Deputy Director - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	8

130	Workspace - 04 - Deputy Director - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	2
131	Workspace - 04 - Deputy Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	2
132	Workspace - 04 - Deputy Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) x ft (D) x 2.5 ft (H), along with a matching side rack approximately ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	2

133	Workspace - 05 - Assistant Director - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	1
134	Workspace - 05 - Assistant Director - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2
135	Workspace - 05 - Assistant Director - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	1

136	Workspace - 05 - Assistant Director - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	1
137	Workspace - 05 - Assistant Director - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) x ft (D) x 2.5 ft (H), along with a matching side rack approximately ft (L) x 1.5 ft (D) x 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1
138	Workspace - 06 - Audit Officer - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh backrest and high-density foam cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, adjustable backrest angle with integrated lumbar support, hydraulic height adjustment, and dual-lever mechanism for independent seat and back adjustments. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10

139	Workspace - 06 - Audit Officer - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	20
140	Workspace - 06 - Audit Officer - Office - Sofa - 2-Seater	Custom-made 2-seater sofa, minimum overall minimum size approximately 5 ft (W) x 3 ft (D) x 3 ft (H), with a sturdy frame fabricated from seasoned Keekar wood. The seat, back, sides, and front shall be cushioned with first-quality multi-foam padding and upholstered in imported leatherette (minimum Rs. 2000 per yard). Legs shall be crafted from seasoned Sheesham wood, finished in natural polish. All components shall be properly assembled and complete with necessary fittings and accessories, suitable for continuous use.	No.	10
141	Workspace - 06 - Audit Officer - Office - Table - Centre	Custom-made centre table, overall size approximately 4 ft (L) x 2 ft (D) x 1.5 ft (H) (dimensions may be adjusted on-site). The table shall be fabricated with a sturdy metal frame made of 2"x1" rectangular MS pipe, powder-coated in approved colour for durability and aesthetics. The tabletop shall be made of durable MDF/HDF finished with high-quality laminate, UV sheet, or tactile/super glass sheet as approved. The table shall be strong, stable, and suitable for continuous use, complete with first-quality joinery, fittings, and accessories, ensuring proper alignment and long-lasting performance.	No.	10

142	Workspace - 06 - Audit Officer - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 6 ft (L) × ft (D) × 2.5 ft (H), along with a matching side rack approximately ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	10
143	Workspace - 07 - Assistant Audit Officer - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10
144	Workspace - 07 - Assistant Audit Officer - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	20

145	Workspace - 07 - Assistant Audit Officer - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	10
146	Workspace - 08 - Assistant Private Secretary - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	1
147	Workspace - 08 - Assistant Private Secretary - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	2

148	Workspace - 08 - Assistant Private Secretary - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	1
149	Workspace - 09 - Steno-Typist - Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	6
150	Workspace - 09 - Steno-Typist - Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	12

151	Workspace - 09 - Steno-Typist - Office - Table + Side Rack (Office)	Custom-made Executive Table, overall size approximately 5 ft (L) × 2.5 ft (D) × 2.5 ft (H), along with a matching side rack approximately 3 ft (L) × 1.5 ft (D) × 2.5 ft (H), fabricated from 16–18 mm thick Medium Density Fibreboard (MDF). The tabletop shall be built-up MDF with minimum 2" overall thickness, finished with high-quality tactile sheet, super glass sheet, or melamine sheet pressed on MDF, with imported PVC edging on all exposed sides. The unit shall include drawers, shelves, and necessary partitions as required. All components shall be completed with first-quality hardware fittings (hinges, channels, handles, locks, etc.), and CNC work on visible top and front portions. Installation shall ensure proper alignment, stability, and completeness with all fittings and accessories.	No.	6
152	Workspace - 10 - Senior Auditor - Shared Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	5
153	Workspace - 10 - Senior Auditor - Shared Office - Chair - Static	Supply and provision of Imported Static Office Visitor Chair, featuring a high-quality ergonomically designed mesh or fabric backrest and cushioned seat for comfort. The chair shall include a sturdy, durable metal frame and base, finished in powder coating or chrome as approved, with reinforced joints for long-term stability. Armrests shall be fixed or padded as per design. All materials and components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	10

154	Workspace - 10 - Senior Auditor - Shared Office - Table - Workstation	Custom-made Workstation, overall size approximately 4 ft (L) × 2 ft (D) × 2.5 ft (H), with a matching drawer trolley approximately 20" (L) x 20" (D) x 24" (H) comprising three drawers. The unit shall be fabricated from 16–18 mm thick MDF, with a built-up tabletop of minimum 2" thickness for strength, and all exposed surfaces finished with high-quality tactile sheet, super glass, or melamine sheet with imported PVC edging. The workstation shall include side supports, drawers, shelves, and partitions, with internal frame of imported Peral wood clad in 12 mm MDF and finished as required. All visible portions shall feature CNC detailing, and first-quality hardware fittings (hinges, channels, handles, locks, etc.) shall be provided. Installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	5
155	Workspace - 11 - Junior Auditor - Shared Office - Chair - Revolving	Imported revolving chair with ergonomic design, featuring a breathable mesh or foam-cushioned backrest and high-density foam-cushioned seat, upholstered in durable fabric. The chair shall include an adjustable matching headrest, hydraulic height adjustment mechanism, and smooth 360-degree swivel function. The base shall be heavy-duty, five-star configuration, fitted with durable caster wheels for easy mobility. Armrests shall be fixed or adjustable as per design. All components shall be of first quality, properly assembled, and suitable for continuous office use, complete with all necessary fittings and accessories.	No.	3

156	Workspace - 11 - Junior Auditor - Shared Office - Table - Workstation	Custom-made Workstation, overall size approximately 4 ft (L) × 2 ft (D) × 2.5 ft (H), with a matching drawer trolley approximately 20" (L) × 20" (D) × 24" (H) comprising three drawers. The unit shall be fabricated from 16–18 mm thick MDF, with a built-up tabletop of minimum 2" thickness for strength, and all exposed surfaces finished with high-quality tactile sheet, super glass, or melamine sheet with imported PVC edging. The workstation shall include side supports, drawers, shelves, and partitions, with internal frame of imported Peral wood clad in 12 mm MDF and finished as required. All visible portions shall feature CNC detailing, and first-quality hardware fittings (hinges, channels, handles, locks, etc.) shall be provided. Installation shall ensure proper alignment, stability, and long-term durability, complete with all necessary fittings and accessories.	No.	3
157	Bed - Bedsheets Set (Double)	King Size White Bed Sheet of good quality (Ideas brand or equivalent)	No.	33
158	Bed - Bedsheets Set (Single)	Single Size White Bed Sheet of good quality (Ideas brand or equivalent)	No.	100
159	Bed - Cushions	16×16 inches Cushions of good quality (Ideas brand or equivalent)	No.	28
160	Bed - Mattress (Double)	10-inch Mattress, King Size, Molty brand or equivalent	No.	14
161	Bed - Mattress (Single)	8-inch Mattress, Single Size, Molty brand or equivalent	No.	50
162	Bed - Pillows	Bedroom Pillows of good quality (Ideas brand or equivalent)	No.	78
163	Bed - Blanket (Double)	Double ply blanket for king size bed	No.	14
164	Bed - Blanket (Single)	Double ply blanket for single bed	No.	50
165	Carpet - 10'x12'	Supply of Carpet, approximately 10×12 feet in size.	No.	2
166	Carpet - 7'x10'	Supply of Carpet, approximately 7×10 feet in size.	No.	2
167	Carpet 4'x6'	Supply of Carpet, approximately 4×6 feet in size.	No.	6
168	Dust Bin (Executive)	Supply of Metal Dust Bins, 4-liter capacity.	No.	8
169	Lamp - Floor	Supply and installation of Imported Floor Lamp.	Set	8
170	Lamp - Floor (Lobby)	Supply and installation of Imported Executive Floor Lamp.	No.	6
171	Floor Matt (Executive)	Supply and provision of Executive Floor Mat, made of high-quality nylon or polypropylene pile with non-slip rubber backing	No.	8
172	Painting	Supply and provision of Painting, approximately 20×30 inches, Oil on Canvas.	No.	20
173	Painting	Supply and provision of Painting, approximately 15×20 inches, Oil on Canvas.	No.	24

174	Painting	Supply and provision of Painting, approximately 10×20 inches, in different mediums.	No.	30
175	Painting	Supply and provision of Painting, approximately 6×8 inches, in any medium.	No.	40
176	Quaid Portrait (Painting)	Supply and provision of Quaid-e-Azam Portrait (Oil on Canvas).	No.	3
177	Lamp - Table (Option 1)	Supply and installation of Table Lamp for Executive Bedrooms.	Set	13
178	Lamp - Table (Option 2)	Supply and installation of Table Lamp for Single Bedrooms.	Set	40
179	Wall Clock	Supply and installation of Imported Wall Clock, 18 inches in diameter.	No.	4
180	Wall Clock	Supply and installation of Imported Wall Clock, 12–15 inches in diameter.	No.	4
181	Wall Clock (Lobby)	Supply and installation of Imported Wall Clock, 24 inches in diameter.	No.	3
182	Window - Blind (Executive)	Supply and installation of Zebra-Type Blinds.	ft ²	1,200
183	Window - Curtain	Supply and installation of Double-Layered Curtains for Bedrooms, made of 1st quality velvet and organza fabric, with MS pipes and hooks.	ft ²	2,900

Sample Requirement

Physical sample of one (01) product for each of the 183 items shall be inspected by the Goods Acceptance and Inspection Committee during the technical evaluation stage.



Past Experience / Contracts

Contracts over <i>[insert amount]</i> during the last three years:				
Procuring Agency	Value	Year	Goods/Services Supplied	Country of Destination



Historical Contract Non-Performance, and Pending Litigation and Litigation History

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

☐ Not debarred due to deviation from commitment of Bid Securing Declaration- ☐ Not debarred due to non-performance			
Year	Non-performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and PKR equivalent)
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Reason(s) for nonperformance: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>
Pending Litigation, in accordance with Section III, Qualification Criteria and Requirements			
☐ Pending litigation in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.3 as indicated below.			
Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), US\$ PKR Equivalent (exchange rate)

<i>[insert year]</i>	<i>[insert amount]</i>	Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Status of dispute: <i>[Indicate if it is being treated by the Adjudicator, under Arbitration or being dealt with by the Judiciary]</i>	<i>[insert amount]</i>
☐ No consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4. ☐ Consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4 as indicated below.			
Year of award	Outcome as percentage of Net Worth	Contract Identification	Total Contract Amount (currency), PKR Equivalent (exchange rate)
<i>[insert year]</i>	<i>[insert percentage]</i>	Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Court/ arbitral award decision: <i>[Indicate if the award decision was against the Applicant or any member of a joint venture.]y]</i>	<i>[insert amount]</i>

Financial Situation and Performance

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: [insert full name]

Date: [insert day, month, year]

Joint Venture Member Name: [insert full name]

IFP No. and title: [insert IFP number and title]

Page [insert page number] of [insert total number] pages

1. Financial data

Type of Financial information in (currency)	Historic information for previous [insert number] years, [insert in words] (amount in currency, currency, exchange rate*, PKR equivalent)				
	Year 1	Year 2	Year 3		
Statement of Financial Position (Information from Balance Sheet)					
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statement					
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

* Refer ITA 14 for the exchange rate

3. Financial documents

The Applicant and in case of JV, members of JV shall provide copies of financial statements for [number] years pursuant Section III, Qualifications Criteria and Requirements. The financial statements shall:

- (a) reflect the financial situation of the Applicant or in case of JV member, and not an affiliated entity (such as parent company or group member).
 - (b) be independently audited or certified in accordance with local legislation.
 - (c) be complete, including all notes to the financial statements.
 - (d) correspond to accounting periods already completed and audited.
- ☐ Attached are copies of financial statements¹ for the [number] years required above; and complying with the requirements.

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Application, the reason for this should be justified.

Average Annual Turnover (Annual Sales Value)

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

Annual Turnover Data			
Year	Amount Currency	Exchange rate* (If applicable)	PKR equivalent
<i>[indicate calendar year]</i>	<i>[insert amount and indicate currency]</i>		
		Average Annual Turnover **	

* Refer ITA for date and source of exchange rate.

** Total PKR equivalent for all years divided by the total number of years. See Section III, Qualification Criteria and Requirements, ITA.